

Open type, Programmable controllers Model(s) TM221C16R, TM221C16T, TM221C16TS01, TM221C16U, TM221C24R, TM221C24T, TM221C24U, TM221C40R, TM221C40T, TM221C40U, TM221CE16R, TM221CE16T, TM221CE16U, TM221CE24R, TM221CE24T, TM221CE24U, TM221CE40R, TM221CE40T, TM221CE40U, TM241C24R, TM241C24T, TM241C24U, TM241C40R, TM241C40T, TM241C40U, TM241CE24R, TM241CE24T, TM241CE24U, TM241CE40R, TM241CE40T, TM241CE40U, TM241CEC24R, TM241CEC24T, TM241CEC24U, TM251MESC, TM251MESE, TM3AI2H, TM3AI2HG, TM3AI4, TM3AI4G, TM3AI8, TM3AI8G, TM3AM6, TM3AM6G, TM3AQ2, TM3AQ2G, TM3AQ4, TM3AQ4G, TM3TI4, TM3TI4D, TM3TI4DG, TM3TI4G, TM3TI8T, TM3TI8TG, TM3TM3, TM3TM3G, TM3XPID2, TMC2AI2, TMC2AQ2C, TMC2AQ2V, TMC2CONV01, TMC2HOIS01, TMC2PACK01, TMC2SL1, TMC2TI2

Output modules Model(s) TM3DQ16R, TM3DQ16RG, TM3DQ16T, TM3DQ16TG, TM3DQ16TK, TM3DQ16U, TM3DQ16UG, TM3DQ16UK, TM3DQ32TK, TM3DQ32UK, TM3DQ8R, TM3DQ8RG, TM3DQ8T, TM3DQ8TG, TM3DQ8U, TM3DQ8UG

Programmable controllers, "QUICKKEY" Model(s) USB Memory Key - Cat. No. TM2USBABDEV1

Programmable controllers Model(s) ABE-7 (miniature), ABE-7, ABR-7, ABS-7, ABE-8, ABE7 (Twidofast), ASI20M, ASI67, KT10659, TWDNADK70P, TM2, TM238, TM200

Relay output expansion unit, open type Model(s) XPSMCMRO0004, XPSMCMRO0004DA, XPSMCMRO0004DAG, XPSMCMRO0004G

Servo motor drives Model(s) LMC followed by 0, 1 or 2, followed by 00C, 01C, 06C, 12C, 16C, or 78C, may be followed by additional suffixes

Speed monitoring module, open type Model(s) XPSMCMEN0100HT, XPSMCMEN0100HTG, XPSMCMEN0100SC, XPSMCMEN0100SCG, XPSMCMEN0100TT, XPSMCMEN0100TTG, XPSMCMEN0200, XPSMCMEN0200G, XPSMCMEN0200HT, XPSMCMEN0200HTG, XPSMCMEN0200SC, XPSMCMEN0200SCG, XPSMCMEN0200TT, XPSMCMEN0200TTG

Standalone modules, open type Model(s) XPSMCMCP0802, XPSMCMCP0802BC, XPSMCMCP0802BCG, XPSMCMCP0802G

Zelio logic industrial control programmable logic controllers Model(s) SR2 CBL08*

Zelio logic industrial programmable logic controllers Model(s) SR2 BTC01*, SR2 CBL01*, SR2 CBL07*, SR2 COM01*

SR2 followed by A, B, D, E or XT, followed by 4, 6, 10, 12, 14, 20 or 26, followed by 1, 2 or 3, followed by E, JD, B, BD or FU.*

SR2 MEM01*, SR2 MEM02*, SR2 USB01*

SR3 followed by A, B, D, E or XT, followed by 4, 6, 10, 12, 14, 20 or 26, followed by 1, 2 or 3, followed by E, JD, B, BD or FU.*

SR3 MBU01BD*, SR3 NET01BD*

Investigated to UL 61010-1 and UL 61010-2-201

Open type, Programmable controllers, "TM3S series" Model(s) TM3, followed by S, followed by AC, AF, AFL, and AK, followed by 5 or 6, followed by R, followed by G or Blank.

* - May be followed by SP, followed by 001 thru 999.

+ - May be followed by suffixes.

NOTE - Models may include additional suffix(s) or different digit(s) substituting the letters and numbers "x" in the last positions to indicate software change or model variations

Last Updated on 2018-11-28

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".