Product End-of-Life Instructions

Product Range: ClimaSys CV

NSYCVF550M230FB NSYCVF550M115FB NSYCVF550M24FB NSYCAG223LFHD NSYCAF190 NSYCAAPVHD

Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note:

This product family *is not* in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



223 x 223 x 90 mm 2.5 kg



Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy: Reuse \rightarrow Separation for special treament \rightarrow Other dismantling \rightarrow Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.

Components for shredding:

1	Fan Box Protective Cover
6	Fan Box Ring
3	Fan Box Grid
12	Fan Box Protective Cover Gasket
2	Motor turbine
7b	Motor Rotor
7a	Motor Estator
5	Support label
4	Terminal Block Cover
10	Cable Glande
11	Fan Capacitor
9	PWB
9	Terminal Block


Before carrying out any activity inside/outside the cooling unit, the power supply must be disconnected.

Disassemble and subdivide the internal units to carry out a diverse collection for the recovery of materials (steel, copper, aluminum, plastic, etc ...)



Visual Location

Identification and location plan of particular components of representative product



Schneider Electric SA

43-45, boulevard Franklin Roosevelt F-92500 Rueil-Malmaison Cedex (France) Tel.: +33 (0) 1 41 29 70 00 www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V5

ENVEOLI1408009 Publication date: xx/xx/xxxx

