

# Product End of Life Instructions

## VPIS V3 : Voltage Presence Indicator System

Voltage Presence Indicator System (VPIS) in compliance with the IEC 62271-206 standard





## Potential disassembly risks



## CAUTION

### RISK OF ELECTROCUTION, BURNS, OR EXPLOSION

- Only professional & qualified personnel should disconnect this equipment.
- NEVER work alone during the electrical disconnection of the VPIS.
- Switch off the general and auxiliary power supply to the device before the VPIS disconnecting.
- Consider all sources of power, including the possibility of backfeeding.
- Always use a properly rated voltage sensing device to confirm the absence of voltage.

Failure to follow these instructions will result in death or serious injury.



## End of Life Instructions





Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	NA		
Potential hazards	2	NA		
To be depolluted	3	<b>PCBAs</b> glued to the boxes incl capacitors	71	
To be dismantled	4	<b>Rest of product</b>	25	
Other	5	NA		



## Product description

<b>Manufacturer identification</b>	Schneider Electric Industries SAS
<b>Brand name</b>	Easergy
<b>Product function</b>	In compliance with the IEC 62271-206 standard, indicate the presence of voltage in medium voltage equipment (typically from 1 to 52 KV), 24h per day, for 10 years of continuous operations in Europe. The 10 years of operations in this document are defined for calculation purposes only, and are not representative of the effective lifetime of this range products, which is more than 10 years.
<b>Product reference</b>	VPI62618
<b>Additional similar product references</b>	VPI62601, VPI62602, VPI62603, VPI62604, VPI62605, VPI62606, VPI62607, VPI62608, VPI62609, VPI62611, VPI62612, VPI62613, VPI62614, VPI62615, VPI62616, VPI62617, VPI62619
<b>Total representative product mass</b>	96 g
<b>Representative product dimensions</b>	LxWxH = 70 x 40 x 35 mm
<b>Accessories</b>	No
<b>Date of information release</b>	<b>12/2017</b>



## Additional information

<b>Legal information</b>	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.  This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).	
<b>Recyclability potential</b>	<b>28 %</b>	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

---

EoLI achieved with Schneider-Electric TT03 V7 procedure

---

**Schneider Electric Industries SAS**  
 Denis.mongellaz@schneider-electric.com  
 35, rue Joseph Monier  
 CS 30323  
 F- 92506 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 896 313 776 €  
[www.schneider-electric.com](http://www.schneider-electric.com)