

Product End-of-Life Instructions

Product Range: **Multi 9**

Marketing Model/Name: (List of multiple models if applicable)

NG125 TETRA; NG125 TRI

Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note :

This product family is not in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



Size (in mm): **107 x 102 x 76**

Weight (in g):


Between **1020 g** and **1080 g**

Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :
Reuse → Separation for special treatment → Other dismantling → Shredding.


The components of the products that optimize the recycling performances are listed, identified and located hereunder.

Component which must be cleared of pollution:




Dismantle process:


→ Remove screw and locking clip




→ Disassemble subassembly and component:



→ Remove rivet of subassembly:



→ Remove screw of subassembly:



→ Disassemble all component:

Recommendation	Number on drawing	Components	Weight (g)	Comment
Other dismantling	1	Base	118g	Brominates flame retardants
	2	Upper frame	12g	Brominates flame retardants
	3	Middle frame	27g	Brominates flame retardants
	4	Lower frame	15g	Brominates flame retardants

Schneider Electric SA
 43-45, boulevard Franklin Roosevelt
 F-92500 Rueil-Malmaison Cedex (France)
 Tel.: +33 (0) 1 41 29 70 00
 www.schneider-electric.com

The version of the Guide used to create the document: End of Life
 Instruction Drafting Guide of Schneider Electric version V 1

ENVEOLI110807EN

Publication date : 03/10/2011