

# Product End-of-Life Instructions


## QUANTUM Double Size units

### Product Range

QUANTUM Double Size units

### Marketing Model

140CPU65260



### Size in mm:

H x L x D: 82 x 129 x 250

### Weight in g:

Between 1000 and 1500 without battery

Between 1030 and 1530 with batteries




# Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy:

**Reuse** ⇒ **Separation for special treatment** ⇒ **Other dismantling** ⇒ **Shredding**

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Component	Weight (g)	Comment
Special treatment	–	Battery	30	Remove battery
	–	LCD Display	50	Remove LCD
	1 and 4	PCBA	250	–
Other dismantling	11 and 13	Polycarbonate Plastic (PC)	250	Nickel Plating
	6	Aluminium	180	(Valorisation)

## Schneider Electric Industries SAS

35, rue Joseph Monier  
CS30323  
F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439  
Capital social 896 313 776 €  
www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V0.

Publication: Schneider Electric