#### **OVE Austrian Electrotechnical Association**

Eschenbachgasse 9 | 1010 Wien | Austria

ZVR: 327279890 | www.ove.at

#### **OVE Certification**

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 7

# **ÖVE-CERTIFICATE**

including the entitlement to use the Austrian Safety Mark



Certificate No.: 4900-047-08 Valid from: 2022 06 23

until: 2024 06 23

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Schneider Electric Industries SAS Company:

> 35, rue Joseph Monier 92500 Rueil-Malmaison

France

Product: Two pole socket outlet with side earthing contacts

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: TGM-VA EE 33388C

Österreichischer Verband für Elektrotechnik

Head of OVE Certification


Digitally signed by T. Neumayer

Dipl.-Ing. T. Neumayer



Wien, 2022 05 18









Date: 2022 05 18 Page 2 of 7

#### Manufacturer:

Merten GmbH Fritz Kotz Straße 8 51674 Wiehl-Bomig Germany

## Factory location(s):

Merten GmbH Fritz Kotz Straße 8 51674 Wiehl-Bomig Germany

## Tested and certified according to:

ÖVE/ÖNORM IEC 60884-1:2005-09-01 ÖVE/ÖNORM E 8684-1:2010-03-01

Product: Two pole socket outlet with side earthing contacts

Type designation: Trademark:

Rating:

270 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A SCHUKO socket-outlet

screw-type terminals, flush-type

see typelist



Date: 2022 05 18 Page 3 of 7

# **Typelist**

#### System M (Thermo/Duro)

270/2371 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20 Insert

270/2373 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2376 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with hinged lid

270/2376 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 44

Insert with hinged lid and gasket

270/2374 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 44

Insert with hinged lid and improved protection against accidental contact

270/2374 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with hinged lid and improved protection against accidental contact

270/2300 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2301 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Socket-outlet





Date: 2022 05 18

Page 4 of 7

270/2309 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Central plate with labelling field and control light incl. Modul 2003

270/2309 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with labelling field and improved protection against accidental contact

270/2474 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with hinged lid and labelling field

270/2485 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert 45° with improved protection against accidental contact

270/2496 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert 45° with labelling field and improved protection against accidental contact

270/2334 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Central plate with light opening and LED display lighting incl. Modul 2334

270/2300-35 (M-Creativ) MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with transparent cover and improved protection against accidental contact

#### System Design (Thermo/Duro)

270/2375 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20 Insert





Date: 2022 05 18 Page 5 of 7

270/2377 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/2372 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with hinged lid

270/2379 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with labelling field

270/2378 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 44** 

Insert with hinged lid, gasket and improved protection against accidental contact

270/2378 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with hinged lid and improved protection against accidental contact

270/2306 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with improved protection against accidental contact, Trancent

270/2379 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with labelling field and control light incl. Modul 2003

270/2308 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with labelling field and improved protection against accidental contact

270/2478 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with hinged lid and labelling field





Date: 2022 05 18

Page 6 of 7

270/2476 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert 45° with improved protection against accidental contact

270/2477 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert 45° with labelling field and improved protection against accidental contact

## System Design D-Life (Thermo/metal)

270/NHA2920902 (thermo) MERTEN/SCHNEIDER ELECTRIC

270/NHA2922002 (metal) Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

270/NHA5195702 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 44** 

Insert with hinged lid, gasket and improved protection against accidental contact

#### **AQUADESIGN**

270/2330 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 44** 

Insert with hinged lid and improved protection against accidental contact

270/2335 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

**IP 20** 

Insert with improved protection against accidental contact

270/2330 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

Insert with hinged lid, labelling field and improved protection against accidental contact

270/2330 IP44 MERTEN/SCHNEIDER ELECTRIC

Rated voltage: AC 250 V Rated current: 16 A

Insert with hinged lid, lockable and improved protection against accidental contact





Date: 2022 05 18 Page 7 of 7

#### Renova

270/EAV54699

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Insert with improved protection against accidental contact

MERTEN/SCHNEIDER ELECTRIC

### Anti vandalism

270/S1B7217902

Rated voltage: AC 250 V Rated current: 16 A

IP 20

Socket-outlet with improved protection against accidental contact

MERTEN/SCHNEIDER ELECTRIC



