



Main

Range of product	Network Management Cards
Range compatibility	Galaxy VM Galaxy VX Symmetra PX Smart-UPS Smart-UPS Ultra Smart-UPS On-Line Smart-UPS Modular Ultra Smart-UPS Battery Systems Back-UPS SX3 Refurbished Smart-UPS
Product or component type	Device monitoring and management
Provided equipment	Temperature sensor Micro-USB cable Installation manual
Number of input phases	1 3
Standards	EN 61000-4-2 BS EN 61000-4-2 EN 61000-4-3 BS EN 61000-4-3 EN 61000-4-4 BS EN 61000-4-4 EN 61000-4-5 BS EN 61000-4-5 EN 61000-4-6 BS EN 61000-4-6 EN 61000-4-8 BS EN 61000-4-8 EN 61000-4-11 BS EN 61000-4-11 BS EN 55024 EN 55035 BS EN 55035 EN 62040-2 BS EN 62040-2 EN 55011:A1 EN 55024:A1 EN 55032:class A VCCI class A ICES-003:Issue 6 BS EN 55032:class A BS EN 55011:A1

General

Variant option	Environmental monitoring with Modbus
----------------	--------------------------------------

Physical

Product weight	0.14 Kg
Width	12.1 Cm
Height	3.8 Cm
Depth	10.8 Cm

Conformance

Product certifications	FCC Class A[RETURN]AS/NZS
------------------------	---------------------------

Environmental

Storage Relative Humidity	0...95 %
Relative humidity	0...95 %
Ambient air temperature for storage	-15...65 °C
Ambient air temperature for operation	-5...45 °C
Storage altitude	0...15240 M
Operating altitude	0...10000 ft


Communications & Management




Communication network type	10/100/1000BASE-T
Authentication	Radius Lightweight Directory Access Protocol (LDAP)
Communication port protocol	HTTP over secure sockets Layer (HTTPS) SSH FTP HTTP SNMP DHCP BOOTP (Bootstrap Protocol) TCP/IP

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.100 Cm
Package 1 Width	15.900 Cm
Package 1 Length	23.500 Cm
Package 1 Weight	0.910 Kg

Offer Sustainability

Recyclability potential, in %	95
Total lifecycle Carbon footprint	195 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	9.4518666667
Carbon footprint of the manufacturing phase [A1 to A3]	9 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.0689173333
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	185.5
Carbon footprint of the use phase [B2, B3, B4, B6]	186 kg CO2 eq.
Toxic heavy metal free	Yes
Mercury free	Yes
Sustainable packaging	No
Carbon footprint of the end-of-life phase [C1 to C4]	0.0606666667
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	 Product Environmental Profile

Total lifecycle Carbon footprint	195
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	F4c2965e-f80d-4830-8cd4-be926afb0f45
REACH Regulation	Reference contains Substances of Very High Concern above the threshold 
EU RoHS Directive	Compliant 
End of life manual availability	 End Of Life Information
Removable battery	Yes
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection a

Logistical informations

Country of origin	PH
-------------------	----

Product Life Status : **Commercialised**