



CERTIFICATE NUMBER 23-2408680-PDA

EFFECTIVE DATE 9-June-2023

EXPIRATION DATE 8-June-2028

ABS TECHNICAL OFFICE Yokohama Engineering Services

## CERTIFICATE OF

# Product Design Assessment

This is to certify that a representative of this Bureau did, at the request of

**SCHNEIDER TOSHIBA INVERTER EUROPE SAS**

located at

**33 RUE BLANCHET, ,PACY SUR EURE,France-27120**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

**Product Frequency Converter**

**Model Altivar ATV 930 / ATV 950**


**Endorsement Other**

This Product Design Assessment (PDA) Certificate remains valid until 8/June/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau of Shipping

  
Motohiro Tamura  
Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010)

## SCHNEIDER TOSHIBA INVERTER EUROPE SAS

33 RUE BLANCHET

PACY SUR EURE

France 27120

Telephone: +33 (0)2 32 78 16 71

Fax: NA

Email: eric.delaune@se.com

Web: schneider-electric.com

### Tier: 5 - Unit Certification Required

---

**Product:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Endorsements:**

#### Intended Service:

For use on ABS Classed Vessels and Offshore Installations in accordance with the listed ABS Rules, National and International Standards.

#### Description:

ATV 930 and ATV 950 are a range of Variable Speed Drive solution based on Altivar 9xx process and are dedicated for smoothly starting or stopping asynchronous motors. It provides a solid-state motor overload protection including thermal memory, memory retention and speed sensitive circuitry for motor overload-temperature protection.

Two series of variable speed drives:

- ATV930 power ratings cover 0.75kW to 315kW (Frame: Size 1 to Size 7)
- ATV950 power ratings cover 0.75kW to 90kW (Frame: Size A, Size B and Size C)

#### Rating:

ATV 930 Series

1. Power supply: 220-240Vac;  
Motor power: 0.75kW to 75kW;  
Enclosure protection: IP20;
2. Power supply: 380-480Vac;  
Motor power: 0.75kW to 315kW;  
Enclosure protection: IP20;
3. Power supply: 575-690Vac;  
Motor power: 2.2kW to 90kW;  
Enclosure protection: IP20;

ATV 950 Series

1. Power supply: 380-480Vac;  
Motor power: 0.75kW to 90kW;  
Enclosure protection: IP55;

Note: Refer to Variable Speed Drives Altivar 900 catalog for additional details.

#### Service Restriction:

Unit Certification will be required for this product when used in applications having a rated power of 100 kW (135 hp) and over intended for essential services as specified in :

- 1) Marine Vessels Rules 4-8-1/Table 1 & 2, 4-8-3/1.5, 4-8-3/5.11, 4-8-3/8.1, and
- 2) Mobile Offshore Units Rules 4-1-1/ Table 3 & 4 ) or for services related to additional optional notations requested for the drilling unit as per 6-1-7/9.1.1(b) and 6-1-7/19.7 of the Mobile Offshore Units Rules.

As per Marine Vessels Rules 4-8-3/1.5 and 4-8-3/8.1, when the drive is intended for essential services i.e. to control motors of 100kW or above, it will be subject to a plan review.

Assessment is for Hardware only and no functionality is included in this assessment.

#### Comments:

1. The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.
2. Drive is to be installed in an Enclosure with IP rating to be based on 4-8-3/Table 2 of the Marine Vessels Rules.

## SCHNEIDER TOSHIBA INVERTER EUROPE SAS

33 RUE BLANCHET

PACY SUR EURE

France 27120

Telephone: +33 (0)2 32 78 16 71

Fax: NA

Email: eric.delaune@se.com

Web: schneider-electric.com

### **Tier: 5 - Unit Certification Required**

---

3. Drive is to be installed in environmentally controlled space.
4. Wiring schematics & assembly drawings to be submitted for each installation.
5. Type of enclosure is to be selected in accordance with the 4-8-3/1.11 and 4-8-3/Table 2 of the Marine Vessels Rules and 4-3-3/Table 1 of the Mobile Offshore Units Rules as applicable.
6. ATEX certified equipment is not to be installed in hazardous areas on U.S. Flagged Vessels, unless it can be proven to have been tested to the IEC 60079 series standards by an independent laboratory accepted by the U.S. Coast Guard. Reference: USCG MI Notice 01-12 (February 7, 2012)
7. Refer to the Manufacturer's manual for installation details.

#### **Notes/Drawing/Documentation:**

See Attachment.

#### **Terms of Validity:**

This Product Design Assessment (PDA) Certificate remains valid until 08/Jun/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

### **STANDARDS**

#### **ABS Rules:**

2023 Marine Vessel Rules 1-1-4/7.7, 1-1-A3 & A4, 4-1-1/7.15, 4-8-3/8, 4-9-9/3 and 13, 4-9-9/Table 1 and Table 2;  
2023 High-Speed Craft 1-1-4/11.9, 1-1-A2 & A3, 4-1-1/37, 4-6-4/10, 4-7-9/15,  
2023 Mobile Offshore Units 1-1-4/9.7, 1-1-A2 & A3, 4-1-1/7.9, 6-1-1/9, 6-1-1/13, 6-1-7/12, 6-1-7/13.5;  
2023 Facilities on Offshore Installations 1-1-4/9.7, 1-1-A2 & A3  
2023 Steel Vessels for Service on Rivers and Intracoastal Waterways 1-1-4/7.7, 1-1-A3 & A4, 4-1-1/21, 4-5-4/7.1  
2023 Steel Barge Rules 1-1-4/7.9, 1-1-A3 & A4

#### **National:**

UL508C Ed 3.0: 2010  
UL61800-5-1 Ed 3.0: 2013  
CAN/CSA C22.2 No. 0.4-04: 2013  
CAN/CSA C22.2 No. 14-2010: 2013  
CSA C22.2 No. 274-13: 2013  
CSA C22.2 No. 274-17: 2017

#### **International:**

IEC 61800-5-1/A1:2016  
IEC 61800-5-2:2016  
IEC 61800-3:2017  
EN 60146-1-1: 2010

#### **Government:**

NA

**SCHNEIDER TOSHIBA INVERTER EUROPE SAS**

33 RUE BLANCHET

PACY SUR EURE

France 27120

Telephone: +33 (0)2 32 78 16 71

Fax: NA

Email: eric.delaune@se.com

Web: schneider-electric.com

**Tier: 5 - Unit Certification Required**

---

**EUMED:**

NA

**OTHERS:**

IACS UR E10 (Rev.7 Oct. 2018 & Rev.8 Feb 2021)

## **Product Design Assessment (PDA) Certificate Attachment for Component Details**

**PDA Certificate No:** 23-2408680-PDA  
**Effective Date:** 9 June 2023  
**Expire Date:** 8 June 2028  
**Company:** SCHNEIDER TOSHIBA INVERTER EUROPE SAS  
**Product/Equipment:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Revision No:** 2

### **Documents List**

Drawing No. 1\_1\_01., Visual Inspection after Vibration Test Report 19 May 2016, Revision: -, Pages: 66  
Drawing No. 1\_1\_03, IP Level Test Report 10 Feb 2016, Revision: -, Pages: 18  
Drawing No. 1\_4\_07, Vibration Test Report 23- 30 Mar 16, Revision: -, Pages: 146  
Drawing No. 2\_1\_02, AC or DC (dielectric) Voltage Test Report 12 Feb 2016, Revision: -, Pages: 24  
Drawing No. 2\_1\_04, Insulation Resistance Test Report 12 Feb 2016, Revision: -, Pages: 18  
Drawing No. 4\_2\_06, Dry Heat Equipment Running Test Report 16 Feb 2016, Revision: -, Pages: 23  
Drawing No. 5\_1\_03, Power Supply Variation Test Report 12 Feb 2016, Revision: -, Pages: 6  
Drawing No. 5\_1\_06, Power Supply Failure Test Report 12 - 19Feb 2016, Revision: -, Pages: 18  
Drawing No. 5\_2\_02, Electronic Discharge Test Report 1 Mar 2016, Revision: -, Pages: 35  
Drawing No. 5\_2\_03, Fast Transient Burst Test Report 15 Feb 2016, Revision: -, Pages: 32  
Drawing No. 5\_2\_04, Surge Test Report 16 Feb 2016, Revision: -, Pages: 42  
Drawing No. 6JB81/6JB84, Technical Information - ATVProcess Tech Infos & Synoptics, Revision: -, Pages: 54  
Drawing No. ATV630 ATV650 ATV930 ATV950 VFAS3 Unit test process - ie20, ATV630 ATV650 ATV930 ATV950 Unit test process, Revision: 20, Pages: 172  
Drawing No. 20151103-E116875, Certificates & EU Manufacturer Declaration - ATVProcess UL Certificate, Revision: -, Pages: 2  
Drawing No. ATV930-950 EU Declaration 2016-04 V2 , Certificates & EU Manufacturer Declaration - ATV930-950 EU Declaration 2016-04 V2, Revision: -, Pages: 5  
Drawing No. Catalogue ATV9xx , Catalogue and Documentation - Catalogue ATV9xx, Revision: -, Pages: 76  
Drawing No. Cold Test, Cold Test Report 08 Jan 2016, Revision: -, Pages: 28  
Drawing No. INERIS 16ATEX0015X, Certificates & EU Manufacturer Declaration - ATV Process - ATEX Certificate, Revision: -, Pages: 8  
Drawing No. Labs Certificates - NSH SEPD STIE TSIJ, abs CSA UL ISO Certificates - NSH SEPD STIE TSIJ, Revision: -, Pages: 42  
Drawing No. NHA80757.02 , Catalogue and Documentation - Altivar\_Process ATV9xx\_Programming\_Manual, Revision: -, Pages: 664  
Drawing No. NHA80932.01 , Catalogue and Documentation - Altivar\_Process ATV9xx\_Installation\_Manual, Revision: -, Pages: 129  
Drawing No. Presentation File, Catalogue and Documentation - Presentation File, Revision: -, Pages: 25  
Drawing No. SEBS-A.105339/15 V1.0, Certificates & EU Manufacturer Declaration - TUV - ATV 6XX/9XX Process Certificate, Revision: -, Pages: 1  
Drawing No. SEBS-A.105339/15, V1.0, Certificates & EU Manufacturer Declaration - TUV ATV 6XX/9XX Process Tracking List, Revision: 2, Pages: 9  
Drawing No. SSD China, SSD China MA Cert, Revision: -, Pages: 5  
Drawing No. SE India, S.E India MA Cert, Revision: -, Pages: 16  
Drawing No. Batam Indonesia, Batam Indonesia MA Cert, Revision: -, Pages: 2  
Drawing No. ST03280, UL Description File & TCF CE - Technical Construction File Part A, Revision: -, Pages: 75  
Drawing No. ST03358 , Manufacturing Tests and Quality Process - ATV930-FQC\_Specification, Revision: 9, Pages: 40  
Drawing No. ST03423, KALA\_synthesis results\_rev02, Revision: 2, Pages: 1  
Drawing No. 139536-681332-B, BV Mechanical Test Report- 23 March 2016, Revision: -, Pages: 18  
Drawing No. 1\_1\_01, Visual Inspection Nameplate Test Report 11 Feb 2016, Revision: -, Pages: 15  
Drawing No. 2\_1\_02., AC DC Voltage Test Report 12 Feb 2016, Revision: -, Pages: 12  
Drawing No. 2\_1\_04., Insulation Resistance Test Report 12 Feb 2016, Revision: -, Pages: 9  
Drawing No. 2\_2\_01., Impulse Voltage Test Report 9 - 14 Nov 2013, Revision: -, Pages: 4  
Drawing No. 4\_2\_02A, Damp Heat Cyclic Test Report 18 Mar 2016, Revision: -, Pages: 28  
Drawing No. 5\_2\_02., Electronic Discharge Test Report 01 Mar 2016, Revision: -, Pages: 6  
Drawing No. 5\_2\_03., Fast Transient Burst Test Report 15 Feb 2016, Revision: -, Pages: 5  
Drawing No. 5\_2\_04., Surge Test Report 16 Feb 2016, Revision: -, Pages: 4  
Drawing No. 5\_2\_05., Radiated Radio Freq Common Mode Test Report 08-25 Feb 2016, Revision: -, Pages: 33  
Drawing No. 5\_2\_06., Conducted Radio Frequency Test Report 11 Feb 2016, Revision: -, Pages: 13  
Drawing No. 5\_4\_01., Conducted Emissions Test Report 19 Feb 2016, Revision: -, Pages: 14  
Drawing No. 5\_4\_03., Radiated Emissions Test Report 19 Feb 2016, Revision: -, Pages: 21  
Drawing No. Size A, Size A ABS Prog 1-1-3 (5) to (10) UL\_CSA Test Report Aug - Oct 2014, Revision: -, Pages: 134  
Drawing No. Size B, Size B ABS Prog 1-1-3 (5) to (10) UL\_CSA Test Report Oct 2014, Revision: -, Pages: 105  
Drawing No. Size C, Size C ABS Prog 1-1-3 (5) to (10) UL\_CSA Test Report Oct 2014, Revision: -, Pages: 60  
Drawing No. 1, TEST reports 690V, Revision: 3, Pages: 1  
Drawing No. 154293-718020-A, Vibration LCIE Test Report Mar 2018, Revision: 2, Pages: 17

## **Product Design Assessment (PDA) Certificate Attachment for Component Details**

**PDA Certificate No:** 23-2408680-PDA  
**Effective Date:** 9 June 2023  
**Expire Date:** 8 June 2028  
**Company:** SCHNEIDER TOSHIBA INVERTER EUROPE SAS  
**Product/Equipment:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Revision No:** 2

---

Drawing No. 154293-718020-B, Vibration LCIE Test Report Mar 2018, Revision: 1, Pages: 18  
Drawing No. 17182, EMC HF immunity conduct Test Report Nov 2017, Revision: -, Pages: 16  
Drawing No. 17200, EMC HF immunity ESD Test Report Nov 2017, Revision: -, Pages: 28  
Drawing No. 17222, EMC HF immunity FAST transient Test Report Nov 2017, Revision: -, Pages: 18  
Drawing No. 17228, EMC HF immunity Surge Test Report Nov 2017, Revision: -, Pages: 12  
Drawing No. 17231, Climatic Cold Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17309, EMC Immunity Fast Transient Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17310, EMC Immunity Surge Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17311, EMC Immunity ESD Test Report Nov 2017, Revision: -, Pages: 14  
Drawing No. 17322, EMC Immunity Conducted Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17329, Dry Heat Test Report Nov 2017, Revision: -, Pages: 6  
Drawing No. 17335, Cold Test Report Nov 2017, Revision: -, Pages: 6  
Drawing No. 17337, EMC HF Emissions Radiated Test Report Nov 2017, Revision: -, Pages: 14  
Drawing No. 17338, EMC LF Immunity Test Report Nov 2017, Revision: -, Pages: 5  
Drawing No. 17339, EMC LF Voltage Frequency Test Report Nov 2017, Revision: -, Pages: 4  
Drawing No. 18114, Vibration Test Report Nov 2017, Revision: -, Pages: 7  
Drawing No. 18115, Vibration Test Report Nov 2017, Revision: -, Pages: 7  
Drawing No. 3, Test plan & result Size 7, Revision: -, Pages: 1  
Drawing No. 35793, APPLICATION COMMUN EAV35793, Revision: -, Pages: 1  
Drawing No. 37567, CONTROL COMMON NHA37567, Revision: 2, Pages: 1  
Drawing No. 4, UL report 17227 690V Test Report Nov 2017, Revision: -, Pages: 131  
Drawing No. 4510601, SNUBBER S5Y 690V QGH4510601, Revision: 0, Pages: 1  
Drawing No. 4510801, BUS S3Y 690V QGH4510801, Revision: 0, Pages: 1  
Drawing No. 4511001, FILTER1 S3Y 690V QGH4511001, Revision: 0, Pages: 1  
Drawing No. 4511401, FILTER2 S3Y 690V QGH4511401, Revision: 0, Pages: 1  
Drawing No. 4511801, POWER S3Y S5Y 690V QGH4511801, Revision: 0, Pages: 1  
Drawing No. 5, UL report 17214 690V Test Report Nov 2017, Revision: -, Pages: 95  
Drawing No. 6, UL report S7, Revision: -, Pages: 56  
Drawing No. 7, 18114 inspection after vibration Test Report Nov 2017, Revision: -, Pages: 7  
Drawing No. 7577001, POWER S7 NHA7577001, Revision: 0, Pages: 1  
Drawing No. 7609801, GATE S7 NHA7609801, Revision: 0, Pages: 1  
Drawing No. 86313, FAN CONTROL S7 NHA86313, Revision: 0, Pages: 1  
Drawing No. LM170008, EMC HF immunity Radiated CNPP Test Report Mar 2017, Revision: -, Pages: 20  
Drawing No. LM170010, EMC HF immunity Radiated CNPP Test Report Mar 2017, Revision: -, Pages: 20  
Drawing No. P179011, Damp Heat CNPP Test Report Feb 2018, Revision: -, Pages: 1  
Drawing No. IACS UR E10 Revision 8, Impact analysis of IACS UR E10 Revision 8, Revision: -, Pages: 18,  
Drawing No. RCE-EMIESS23B868STI-1A v0, EMC Test Report, Revision: -, 11 April 2023, Pages: 49, issued by EMITECH ILE FRANCE Laboratory,  
Drawing No. LM 23 00 21, Electromagnetic compatibility tests, Revision: -, 6 April 2023, Pages: 12, issued by LPMES,  
Drawing No. LM 23 00 22, Electromagnetic compatibility tests, Revision: -, 6 April 2023, Pages: 12, issued by LPMES,



CERTIFICATE NUMBER 23-2408680-PDA-DUP

EFFECTIVE DATE 9-June-2023

EXPIRATION DATE 8-June-2028

ABS TECHNICAL OFFICE Yokohama Engineering Services

## CERTIFICATE OF

# Product Design Assessment

This is to certify that a representative of this Bureau did, at the request of

**SCHNEIDER (WUXI) DRIVES CO., LTD.**

located at

**NO.20 HANJIANG ROAD, WUXI XINWU DISTRICT, , WUXI,  
JIANGSU, China**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

**Product**      **Frequency Converter**

**Model**        **Altivar ATV 930 / ATV 950**


**Endorsement**   **Other**

This Product Design Assessment (PDA) Certificate remains valid until 8/June/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau of Shipping

  
Motohiro Tamura  
Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010)

**SCHNEIDER (WUXI) DRIVES CO., LTD.**

NO.20 HANJIANG ROAD

WUXI XINWU DISTRICT

WUXI JIANGSU

China

Telephone: +86 8519069397

Fax: +86 0512-62582802-7250

Email: Xiaoqin-cindy.tang@se.com

Web: schneiderelectric.com

**Tier: 5 - Unit Certification Required**

---

**Product:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Endorsements:**

**Intended Service:**

For use on ABS Classed Vessels and Offshore Installations in accordance with the listed ABS Rules, National and International Standards.

**Description:**

ATV 930 and ATV 950 are a range of Variable Speed Drive solution based on Altivar 9xx process and are dedicated for smoothly starting or stopping asynchronous motors. It provides a solid-state motor overload protection including thermal memory, memory retention and speed sensitive circuitry for motor overload-temperature protection.

Two series of variable speed drives:

- ATV930 power ratings cover 0.75kW to 315kW (Frame: Size 1 to Size 7)
- ATV950 power ratings cover 0.75kW to 90kW (Frame: Size A, Size B and Size C)

**Rating:**

ATV 930 Series

1. Power supply: 220-240Vac;  
Motor power: 0.75kW to 75kW;  
Enclosure protection: IP20;
2. Power supply: 380-480Vac;  
Motor power: 0.75kW to 315kW;  
Enclosure protection: IP20;
3. Power supply: 575-690Vac;  
Motor power: 2.2kW to 90kW;  
Enclosure protection: IP20;

ATV 950 Series

1. Power supply: 380-480Vac;  
Motor power: 0.75kW to 90kW;  
Enclosure protection: IP55;

Note: Refer to Variable Speed Drives Altivar 900 catalog for additional details.

**Service Restriction:**

Unit Certification will be required for this product when used in applications having a rated power of 100 kW (135 hp) and over intended for essential services as specified in :

- 1) Marine Vessels Rules 4-8-1/Table 1 & 2, 4-8-3/1.5, 4-8-3/5.11, 4-8-3/8.1, and
- 2) Mobile Offshore Units Rules 4-1-1/ Table 3 & 4 ) or for services related to additional optional notations requested for the drilling unit as per 6-1-7/9.1.1(b) and 6-1-7/19.7 of the Mobile Offshore Units Rules.

As per Marine Vessels Rules 4-8-3/1.5 and 4-8-3/8.1, when the drive is intended for essential services i.e. to control motors of 100kW or above, it will be subject to a plan review.

Assessment is for Hardware only and no functionality is included in this assessment.

**SCHNEIDER (WUXI) DRIVES CO., LTD.**

NO.20 HANJIANG ROAD

WUXI XINWU DISTRICT

WUXI JIANGSU

China

Telephone: +86 8519069397

Fax: +86 0512-62582802-7250

Email: Xiaoqin-cindy.tang@se.com

Web: schneiderelectric.com

**Tier: 5 - Unit Certification Required**

---

**Comments:**

1. The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.
2. Drive is to be installed in an Enclosure with IP rating to be based on 4-8-3/Table 2 of the Marine Vessels Rules.
3. Drive is to be installed in environmentally controlled space.
4. Wiring schematics & assembly drawings to be submitted for each installation.
5. Type of enclosure is to be selected in accordance with the 4-8-3/1.11 and 4-8-3/Table 2 of the Marine Vessels Rules and 4-3-3/Table 1 of the Mobile Offshore Units Rules as applicable.
6. ATEX certified equipment is not to be installed in hazardous areas on U.S. Flagged Vessels, unless it can be proven to have been tested to the IEC 60079 series standards by an independent laboratory accepted by the U.S. Coast Guard. Reference: USCG MI Notice 01-12 (February 7, 2012)
7. Refer to the Manufacturer's manual for installation details.

**Notes/Drawing/Documentation:**

See Attachment.

**Terms of Validity:**

This Product Design Assessment (PDA) Certificate remains valid until 08/Jun/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

**STANDARDS**

**ABS Rules:**

2023 Marine Vessel Rules 1-1-4/7.7, 1-1-A3 & A4, 4-1-1/7.15, 4-8-3/8, 4-9-9/3 and 13, 4-9-9/Table 1 and Table 2;  
2023 High-Speed Craft 1-1-4/11.9, 1-1-A2 & A3, 4-1-1/37, 4-6-4/10, 4-7-9/15,  
2023 Mobile Offshore Units 1-1-4/9.7, 1-1-A2 & A3, 4-1-1/7.9, 6-1-1/9, 6-1-1/13, 6-1-7/12, 6-1-7/13.5;  
2023 Facilities on Offshore Installations 1-1-4/9.7, 1-1-A2 & A3  
2023 Steel Vessels for Service on Rivers and Intra-coastal Waterways 1-1-4/7.7, 1-1-A3 & A4, 4-1-1/21, 4-5-4/7.1  
2023 Steel Barge Rules 1-1-4/7.9, 1-1-A3 & A4

**National:**

UL508C Ed 3.0: 2010  
UL61800-5-1 Ed 3.0: 2013  
CAN/CSA C22.2 No. 0.4-04: 2013  
CAN/CSA C22.2 No. 14-2010: 2013  
CSA C22.2 No. 274-13: 2013  
CSA C22.2 No. 274-17: 2017

**International:**

IEC 61800-5-1/A1:2016  
IEC 61800-5-2:2016  
IEC 61800-3:2017  
EN 60146-1-1: 2010

**SCHNEIDER (WUXI) DRIVES CO., LTD.**

NO.20 HANJIANG ROAD

WUXI XINWU DISTRICT

WUXI JIANGSU

China

Telephone: +86 8519069397

Fax: +86 0512-62582802-7250

Email: Xiaoqin-cindy.tang@se.com

Web: schneiderelectric.com

**Tier: 5 - Unit Certification Required**

---

**Government:**

NA

**EUMED:**

NA

**OTHERS:**

IACS UR E10 (Rev.7 Oct. 2018 & Rev.8 Feb 2021)

## **Product Design Assessment (PDA) Certificate Attachment for Component Details**

**PDA Certificate No:** 23-2408680-PDA-DUP  
**Effective Date:** 9 June 2023  
**Expire Date:** 8 June 2028  
**Company:** SCHNEIDER (WUXI) DRIVES CO., LTD.  
**Product/Equipment:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Revision No:** 2

### **Documents List**

Drawing No. 1\_1\_01., Visual Inspection after Vibration Test Report 19 May 2016, Revision: -, Pages: 66  
Drawing No. 1\_1\_03, IP Level Test Report 10 Feb 2016, Revision: -, Pages: 18  
Drawing No. 1\_4\_07, Vibration Test Report 23- 30 Mar 16, Revision: -, Pages: 146  
Drawing No. 2\_1\_02, AC or DC (dielectric) Voltage Test Report 12 Feb 2016, Revision: -, Pages: 24  
Drawing No. 2\_1\_04, Insulation Resistance Test Report 12 Feb 2016, Revision: -, Pages: 18  
Drawing No. 4\_2\_06, Dry Heat Equipment Running Test Report 16 Feb 2016, Revision: -, Pages: 23  
Drawing No. 5\_1\_03, Power Supply Variation Test Report 12 Feb 2016, Revision: -, Pages: 6  
Drawing No. 5\_1\_06, Power Supply Failure Test Report 12 - 19Feb 2016, Revision: -, Pages: 18  
Drawing No. 5\_2\_02, Electronic Discharge Test Report 1 Mar 2016, Revision: -, Pages: 35  
Drawing No. 5\_2\_03, Fast Transient Burst Test Report 15 Feb 2016, Revision: -, Pages: 32  
Drawing No. 5\_2\_04, Surge Test Report 16 Feb 2016, Revision: -, Pages: 42  
Drawing No. 6JB81/6JB84, Technical Information - ATVProcess Tech Infos & Synoptics, Revision: -, Pages: 54  
Drawing No. ATV630 ATV650 ATV930 ATV950 VFAS3 Unit test process - ie20, ATV630 ATV650 ATV930 ATV950 Unit test process, Revision: 20, Pages: 172  
Drawing No. 20151103-E116875, Certificates & EU Manufacturer Declaration - ATVProcess UL Certificate, Revision: -, Pages: 2  
Drawing No. ATV930-950 EU Declaration 2016-04 V2 , Certificates & EU Manufacturer Declaration - ATV930-950 EU Declaration 2016-04 V2, Revision: -, Pages: 5  
Drawing No. Catalogue ATV9xx , Catalogue and Documentation - Catalogue ATV9xx, Revision: -, Pages: 76  
Drawing No. Cold Test, Cold Test Report 08 Jan 2016, Revision: -, Pages: 28  
Drawing No. INERIS 16ATEX0015X, Certificates & EU Manufacturer Declaration - ATV Process - ATEX Certificate, Revision: -, Pages: 8  
Drawing No. Labs Certificates - NSH SEPD STIE TSIJ, abs CSA UL ISO Certificates - NSH SEPD STIE TSIJ, Revision: -, Pages: 42  
Drawing No. NHA80757.02 , Catalogue and Documentation - Altivar\_Process ATV9xx\_Programming\_Manual, Revision: -, Pages: 664  
Drawing No. NHA80932.01 , Catalogue and Documentation - Altivar\_Process ATV9xx\_Installation\_Manual, Revision: -, Pages: 129  
Drawing No. Presentation File, Catalogue and Documentation - Presentation File, Revision: -, Pages: 25  
Drawing No. SEBS-A.105339/15 V1.0, Certificates & EU Manufacturer Declaration - TUV - ATV 6XX/9XX Process Certificate, Revision: -, Pages: 1  
Drawing No. SEBS-A.105339/15, V1.0, Certificates & EU Manufacturer Declaration - TUV ATV 6XX/9XX Process Tracking List, Revision: 2, Pages: 9  
Drawing No. SSD China, SSD China MA Cert, Revision: -, Pages: 5  
Drawing No. SE India, S.E India MA Cert, Revision: -, Pages: 16  
Drawing No. Batam Indonesia, Batam Indonesia MA Cert, Revision: -, Pages: 2  
Drawing No. ST03280, UL Description File & TCF CE - Technical Construction File Part A, Revision: -, Pages: 75  
Drawing No. ST03358 , Manufacturing Tests and Quality Process - ATV930-FQC\_Specification, Revision: 9, Pages: 40  
Drawing No. ST03423, KALA\_synthesis results\_rev02, Revision: 2, Pages: 1  
Drawing No. 139536-681332-B, BV Mechanical Test Report- 23 March 2016, Revision: -, Pages: 18  
Drawing No. 1\_1\_01, Visual Inspection Nameplate Test Report 11 Feb 2016, Revision: -, Pages: 15  
Drawing No. 2\_1\_02., AC DC Voltage Test Report 12 Feb 2016, Revision: -, Pages: 12  
Drawing No. 2\_1\_04., Insulation Resistance Test Report 12 Feb 2016, Revision: -, Pages: 9  
Drawing No. 2\_2\_01., Impulse Voltage Test Report 9 - 14 Nov 2013, Revision: -, Pages: 4  
Drawing No. 4\_2\_02A, Damp Heat Cyclic Test Report 18 Mar 2016, Revision: -, Pages: 28  
Drawing No. 5\_2\_02., Electronic Discharge Test Report 01 Mar 2016, Revision: -, Pages: 6  
Drawing No. 5\_2\_03., Fast Transient Burst Test Report 15 Feb 2016, Revision: -, Pages: 5  
Drawing No. 5\_2\_04., Surge Test Report 16 Feb 2016, Revision: -, Pages: 4  
Drawing No. 5\_2\_05., Radiated Radio Freq Common Mode Test Report 08-25 Feb 2016, Revision: -, Pages: 33  
Drawing No. 5\_2\_06., Conducted Radio Frequency Test Report 11 Feb 2016, Revision: -, Pages: 13  
Drawing No. 5\_4\_01., Conducted Emissions Test Report 19 Feb 2016, Revision: -, Pages: 14  
Drawing No. 5\_4\_03., Radiated Emissions Test Report 19 Feb 2016, Revision: -, Pages: 21  
Drawing No. Size A, Size A ABS Prog 1-1-3 (5) to (10) UL\_CSA Test Report Aug - Oct 2014, Revision: -, Pages: 134  
Drawing No. Size B, Size B ABS Prog 1-1-3 (5) to (10) UL\_CSA Test Report Oct 2014, Revision: -, Pages: 105  
Drawing No. Size C, Size C ABS Prog 1-1-3 (5) to (10) UL\_CSA Test Report Oct 2014, Revision: -, Pages: 60  
Drawing No. 1, TEST reports 690V, Revision: 3, Pages: 1  
Drawing No. 154293-718020-A, Vibration LCIE Test Report Mar 2018, Revision: 2, Pages: 17

## **Product Design Assessment (PDA) Certificate Attachment for Component Details**

**PDA Certificate No:** 23-2408680-PDA-DUP  
**Effective Date:** 9 June 2023  
**Expire Date:** 8 June 2028  
**Company:** SCHNEIDER (WUXI) DRIVES CO., LTD.  
**Product/Equipment:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Revision No:** 2

---

Drawing No. 154293-718020-B, Vibration LCIE Test Report Mar 2018, Revision: 1, Pages: 18  
Drawing No. 17182, EMC HF immunity conduct Test Report Nov 2017, Revision: -, Pages: 16  
Drawing No. 17200, EMC HF immunity ESD Test Report Nov 2017, Revision: -, Pages: 28  
Drawing No. 17222, EMC HF immunity FAST transient Test Report Nov 2017, Revision: -, Pages: 18  
Drawing No. 17228, EMC HF immunity Surge Test Report Nov 2017, Revision: -, Pages: 12  
Drawing No. 17231, Climatic Cold Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17309, EMC Immunity Fast Transient Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17310, EMC Immunity Surge Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17311, EMC Immunity ESD Test Report Nov 2017, Revision: -, Pages: 14  
Drawing No. 17322, EMC Immunity Conducted Test Report Nov 2017, Revision: -, Pages: 8  
Drawing No. 17329, Dry Heat Test Report Nov 2017, Revision: -, Pages: 6  
Drawing No. 17335, Cold Test Report Nov 2017, Revision: -, Pages: 6  
Drawing No. 17337, EMC HF Emissions Radiated Test Report Nov 2017, Revision: -, Pages: 14  
Drawing No. 17338, EMC LF Immunity Test Report Nov 2017, Revision: -, Pages: 5  
Drawing No. 17339, EMC LF Voltage Frequency Test Report Nov 2017, Revision: -, Pages: 4  
Drawing No. 18114, Vibration Test Report Nov 2017, Revision: -, Pages: 7  
Drawing No. 18115, Vibration Test Report Nov 2017, Revision: -, Pages: 7  
Drawing No. 3, Test plan & result Size 7, Revision: -, Pages: 1  
Drawing No. 35793, APPLICATION COMMUN EAV35793, Revision: -, Pages: 1  
Drawing No. 37567, CONTROL COMMON NHA37567, Revision: 2, Pages: 1  
Drawing No. 4, UL report 17227 690V Test Report Nov 2017, Revision: -, Pages: 131  
Drawing No. 4510601, SNUBBER S5Y 690V QGH4510601, Revision: 0, Pages: 1  
Drawing No. 4510801, BUS S3Y 690V QGH4510801, Revision: 0, Pages: 1  
Drawing No. 4511001, FILTER1 S3Y 690V QGH4511001, Revision: 0, Pages: 1  
Drawing No. 4511401, FILTER2 S3Y 690V QGH4511401, Revision: 0, Pages: 1  
Drawing No. 4511801, POWER S3Y S5Y 690V QGH4511801, Revision: 0, Pages: 1  
Drawing No. 5, UL report 17214 690V Test Report Nov 2017, Revision: -, Pages: 95  
Drawing No. 6, UL report S7, Revision: -, Pages: 56  
Drawing No. 7, 18114 inspection after vibration Test Report Nov 2017, Revision: -, Pages: 7  
Drawing No. 7577001, POWER S7 NHA7577001, Revision: 0, Pages: 1  
Drawing No. 7609801, GATE S7 NHA7609801, Revision: 0, Pages: 1  
Drawing No. 86313, FAN CONTROL S7 NHA86313, Revision: 0, Pages: 1  
Drawing No. LM170008, EMC HF immunity Radiated CNPP Test Report Mar 2017, Revision: -, Pages: 20  
Drawing No. LM170010, EMC HF immunity Radiated CNPP Test Report Mar 2017, Revision: -, Pages: 20  
Drawing No. P179011, Damp Heat CNPP Test Report Feb 2018, Revision: -, Pages: 1  
Drawing No. IACS UR E10 Revision 8, Impact analysis of IACS UR E10 Revision 8, Revision: -, Pages: 18,  
Drawing No. RCE-EMIESS23B868STI-1A v0, EMC Test Report, Revision: -, 11 April 2023, Pages: 49, issued by EMITECH ILE FRANCE Laboratory,  
Drawing No. LM 23 00 21, Electromagnetic compatibility tests, Revision: -, 6 April 2023, Pages: 12, issued by LPMES,  
Drawing No. LM 23 00 22, Electromagnetic compatibility tests, Revision: -, 6 April 2023, Pages: 12, issued by LPMES,



CERTIFICATE NUMBER  
EFFECTIVE DATE  
EXPIRY DATE  
ABS TECHNICAL OFFICE

23-2408680-PDA-DUP  
17-Sep-2025  
08-Jun-2028  
London Engineering Department

## CERTIFICATE OF Product Design Assessment

This is to certify that a representative of this Bureau did, at the request of

**SCHNEIDER ELECTRIC**

located at

**5855 UNION CENTRE BLVD, , FAIRFIELD, OH, United States,  
45014**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

**Product:**           **Frequency Converter**  
**Model:**           **Altivar ATV 930 / ATV 950**  
**Endorsements:**  
**Tier:**              **5 - Unit Certification Required**

This Product Design Assessment (PDA) Certificate remains valid until 08/Jun/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau Of Shipping

Peter Edward (Peter Deegan) Lewis  
Deegan,Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010)

**SCHNEIDER ELECTRIC**  
5855 UNION CENTRE BLVD  
FAIRFIELD OH  
United States 45014  
Telephone: +1 956-452-1128  
Fax:  
Email: toni.defreitas@se.com  
Web: se.com

**Tier: 5 - Unit Certification Required**

---

**Product:** Frequency Converter  
**Model:** Altivar ATV 930 / ATV 950  
**Endorsements:**

**Intended Service:**

For use on ABS Classed Vessels and Offshore Installations in accordance with the listed ABS Rules, National and International Standards.

**Description:**

ATV 930 and ATV 950 are a range of Variable Speed Drive solution based on Altivar 9xx process and are dedicated for smoothly starting or stopping asynchronous motors. It provides a solid-state motor overload protection including thermal memory, memory retention and speed sensitive circuitry for motor overload-temperature protection.

Two series of variable speed drives:

- ATV930 power ratings cover 0.75kW to 315kW (Frame: Size 1 to Size 7)
- ATV950 power ratings cover 0.75kW to 90kW (Frame: Size A, Size B and Size C)

**Rating:**

ATV 930 Series

1. Power supply: 220-240Vac;  
Motor power: 0.75kW to 75kW;  
Enclosure protection: IP20;
2. Power supply: 380-480Vac;  
Motor power: 0.75kW to 315kW;  
Enclosure protection: IP20;
3. Power supply: 575-690Vac;  
Motor power: 2.2kW to 90kW;  
Enclosure protection: IP20;

ATV 950 Series

1. Power supply: 380-480Vac;  
Motor power: 0.75kW to 90kW;  
Enclosure protection: IP55;

Note: Refer to Variable Speed Drives Altivar 900 catalog for additional details.

**Service Restriction:**

Unit Certification will be required for this product when used in applications having a rated power of 100 kW (135 hp) and over intended for essential services as specified in :

- 1) Marine Vessels Rules 4-8-1/Table 1 & 2, 4-8-3/1.5, 4-8-3/5.11, 4-8-3/8.1, and
- 2) Mobile Offshore Units Rules 4-1-1/ Table 3 & 4 ) or for services related to additional optional notations requested for the drilling unit as per 6-1-7/9.1.1(b) and 6-1-7/19.7 of the Mobile Offshore Units Rules.

As per Marine Vessels Rules 4-8-3/1.5 and 4-8-3/8.1, when the drive is intended for essential services i.e. to control motors of 100kW or above, it will be subject to a plan review.  
Assessment is for Hardware only and no functionality is included in this assessment.

**Comments:**

1. The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.
2. Drive is to be installed in an Enclosure with IP rating to be based on 4-8-3/Table 2 of the Marine Vessels Rules.

**SCHNEIDER ELECTRIC**  
5855 UNION CENTRE BLVD  
FAIRFIELD OH  
United States 45014  
Telephone: +1 956-452-1128  
Fax:  
Email: toni.defreitas@se.com  
Web: se.com

**Tier: 5 - Unit Certification Required**

---

3. Drive is to be installed in environmentally controlled space.
4. Wiring schematics & assembly drawings to be submitted for each installation.
5. Type of enclosure is to be selected in accordance with the 4-8-3/1.11 and 4-8-3/Table 2 of the Marine Vessels Rules and 4-3-3/Table 1 of the Mobile Offshore Units Rules as applicable.
6. ATEX certified equipment is not to be installed in hazardous areas on U.S. Flagged Vessels, unless it can be proven to have been tested to the IEC 60079 series standards by an independent laboratory accepted by the U.S. Coast Guard. Reference: USCG MI Notice 01-12 (February 7, 2012)
7. Refer to the Manufacturer's manual for installation details.

**Notes/Drawing/Documentation:**

See Attachment.

**Terms of Validity:**

This Product Design Assessment (PDA) Certificate remains valid until 08/Jun/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

**STANDARDS**

**ABS Rules:**

2023 Marine Vessel Rules 1-1-4/7.7, 1-1-A3 & A4, 4-1-1/7.15, 4-8-3/8, 4-9-9/3 and 13, 4-9-9/Table 1 and Table 2;  
2023 High-Speed Craft 1-1-4/11.9, 1-1-A2 & A3, 4-1-1/37, 4-6-4/10, 4-7-9/15,  
2023 Mobile Offshore Units 1-1-4/9.7, 1-1-A2 & A3, 4-1-1/7.9, 6-1-1/9, 6-1-1/13, 6-1-7/12, 6-1-7/13.5;  
2023 Facilities on Offshore Installations 1-1-4/9.7, 1-1-A2 & A3  
2023 Steel Vessels for Service on Rivers and Intracoastal Waterways 1-1-4/7.7, 1-1-A3 & A4, 4-1-1/21, 4-5-4/7.1  
2023 Steel Barge Rules 1-1-4/7.9, 1-1-A3 & A4

**National:**

UL508C Ed 3.0: 2010  
UL61800-5-1 Ed 3.0: 2013  
CAN/CSA C22.2 No. 0.4-04: 2013  
CAN/CSA C22.2 No. 14-2010: 2013  
CSA C22.2 No. 274-13: 2013  
CSA C22.2 No. 274-17: 2017

**International:**

IEC 61800-5-1/A1:2016  
IEC 61800-5-2:2016  
IEC 61800-3:2017  
EN 60146-1-1: 2010

**Government:**

NA

**SCHNEIDER ELECTRIC**  
5855 UNION CENTRE BLVD  
FAIRFIELD OH  
United States 45014  
Telephone: +1 956-452-1128  
Fax:  
Email: [toni.defreitas@se.com](mailto:toni.defreitas@se.com)  
Web: [se.com](http://se.com)

**Tier: 5 - Unit Certification Required**

---

**EUMED:**  
NA

**OTHERS:**  
IACS UR E10 (Rev.7 Oct. 2018 & Rev.8 Feb 2021)