

Customer case

In order to optimize the existing lighting of a Town Council, the engineering department wants to upgrade the installation, while keeping the local controls in place.

They also want to have a centralized control, located by the Town Council's reception desk, allowing all the offices, the Council meeting room and the reception to be extinguished in a single action.

Our recommendation

For each office an Acti9 iTLc will be used for lighting control via push buttons.

In addition, for the lighting control in the lobby and meeting rooms, for reasons of installed capacity, a 32 A impulse relay combined with an Acti9 iATLc remote control auxiliary is necessary.

The Acti9 iTLc and Acti9 iATLc allow centralized control via a push button installed by the reception desk which switches-off all the building's lighting.

Benefits


- Energy optimization and protection:
 the lighting for each area can be activated and deactivated locally by the users and also centrally at the reception desk: no more light-on after working hours.
- Ease of connection: thanks to its integral centralized control function, the iTLc impulse relay allows savings of wiring and space. The total width is still 18 mm. The iATLc centralized control auxiliary is compatible with the standard iTL impulse relay to upgrade the existing installations (iATLc + iTL is equivalent to iTLc).





Solution

Diagram



Specifications

- A single push button must be able to extinguish all the building's lighting.
- The space for the solution including the "centralized control" function must be compatible with the available space in the existing switchboard.

Products used			
Product	Function	Quantity	Reference
Acti9 iC60N	MCB 1P+N	1	Depend on rating
Acti9 iC60N	MCB 1P+N	2	Depend on rating
Acti9 iTL	32 A impulse relay	1	A9C30831
Acti9 iATLc	Centralized control auxiliary	1	A9C15404
Acti9 iTLc	Centralized-control impulse relay	1	A9C33811

More about Acti9 iATLc



Scan or click on QR code

se.com



Schneider Electric Industries SAS 35, rue Joseph Monier - CS 30323 F92506 Rueil-Malmaison Cedex