

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the mentioned mark to products of the same type; or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Schneider Electric (Australia) Pty Ltd		
Address	33-37 Port Wakefield Road Gepps Cross 5094 SA Australia		
Client ID	102093		
Certification and Authorized Mark Number	GMA-102093-EA-021	Revision Number	00
Certification Standard(s)	AS/NZS 3133:2013 Approval and test specification - Air-break switches		
Type of Certification	Electrical Safety Product	System 1 Approval	

CERTIFICATE DATES

Certificate Issue Date	15/10/2014
Certificate Last Update Date	
Certification Expiry Date	15/10/2019

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Wall switch	1 way/2 way, 4 terminal	PDL, Schneider Electric	681M20	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal - full red mechanism	PDL, Schneider Electric	681M20RD	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "AIRCON"	PDL, Schneider Electric	681M20AC	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "AUTO/MANUAL"	PDL, Schneider Electric	681M20AM	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, Printed "APPLIANCE"	PDL, Schneider Electric	681M20AP	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "DINING"	PDL, Schneider Electric	681M20D	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "DECK"	PDL, Schneider Electric	681M20DK	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "DOOR"	PDL, Schneider Electric	681M20DR	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "D/WASH"	PDL, Schneider Electric	681M20DW	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "DRYER"	PDL, Schneider Electric	681M20DY	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "FAN"	PDL, Schneider Electric	681M20F	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "FRIDGE"	PDL, Schneider Electric	681M20FG	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "FORWARD/REVERSE"	PDL, Schneider Electric	681M20FR	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "FORWARD/REVERSE"	PDL, Schneider Electric	681M20F/R	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "GAS"	PDL, Schneider Electric	681M20G	250Va.c, 20A-16AX, M60

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Conformity

Wall switch	1 way/2 way, 4 terminal, printed "GARDEN"	PDL, Schneider Electric	681M20GN	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "HEAT"	PDL, Schneider Electric	681M20H	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "HALL"	PDL, Schneider Electric	681M20HA	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "HOOD"	PDL, Schneider Electric	681M20HD	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "HIGH/FAN/LOW"	PDL, Schneider Electric	681M20HFL	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "HIGH/LOW/FAN"	PDL, Schneider Electric	681M20HLF	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "HWS"	PDL, Schneider Electric	681M20HWS	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "ON/OFF"	PDL, Schneider Electric	681M20IO	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "ON/OFF"	PDL, Schneider Electric	681M20I/O	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "KITCHEN"	PDL, Schneider Electric	681M20KT	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "LIGHT"	PDL, Schneider Electric	681M20L	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "LOUNGE"	PDL, Schneider Electric	681M20LO	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "MIRROR"	PDL, Schneider Electric	681M20MR	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "MICROWAVE"	PDL, Schneider Electric	681M20MW	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "OUTSIDE"	PDL, Schneider Electric	681M20O	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "POOL"	PDL, Schneider Electric	681M20PL	250Va.c, 20A-16AX, M60

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Conformity

Wall switch	1 way/2 way, 4 terminal, printed "PUMP"	PDL, Schneider Electric	681M20PU	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, with red dot underside of dolly	PDL, Schneider Electric	681M20RD	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "SPA"	PDL, Schneider Electric	681M20S	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "SENSOR"	PDL, Schneider Electric	681M20SE	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "STAIRS"	PDL, Schneider Electric	681M20ST	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "TOWEL"	PDL, Schneider Electric	681M20TL	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "TV"	PDL, Schneider Electric	681M20TV	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "WASH"	PDL, Schneider Electric	681M20WH	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, printed "WASTE"	PDL, Schneider Electric	681M20WT	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, momentary	PDL, Schneider Electric	681M20PB	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, momentary, printed with Bell symbol	PDL, Schneider Electric	681M20B	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, momentary, printed "PRESS"	PDL, Schneider Electric	681M20P	250Va.c, 20A-16AX, M60
Wall switch	1 way/2 way, 4 terminal, momentary, printed "RESET"	PDL, Schneider Electric	681M20R	250Va.c, 20A-16AX, M60
Wall switch	Architrave switch, 1-gang	PDL, Schneider Electric	661	250Va.c, 20A-16AX, M60
Wall switch	Architrave switch, 2-gang	PDL, Schneider Electric	662	250Va.c, 20A-16AX, M60
Wall switch	Architrave switch, 3-gang	PDL, Schneider Electric	663	250Va.c, 20A-16AX, M60
Wall switch	Architrave switch, 4-gang	PDL, Schneider Electric	664	250Va.c, 20A-16AX, M60
Wall switch	500 series switch, 1-gang	PDL, Schneider Electric	581	250Va.c, 20A-16AX, M60
Wall switch	500 series switch, 2-gang	PDL, Schneider Electric	582	250Va.c, 20A-16AX, M60
Wall switch	500 series switch, 3-gang	PDL, Schneider Electric	583	250Va.c, 20A-16AX, M60
Wall switch	500 series switch, 4-gang	PDL, Schneider Electric	584	250Va.c, 20A-16AX, M60

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




JAS-ANZ





global-mark®

Certificate of Conformity

Wall switch	500 series switch, 5-gang	PDL, Schneider Electric	585	250Va.c, 20A-16AX, M60
Wall switch	500 series switch, 6-gang	PDL, Schneider Electric	586	250Va.c, 20A-16AX, M60
Wall switch	600 series switch, 1-gang	PDL, Schneider Electric	681	250Va.c, 20A-16AX, M60
Wall switch	600 series switch, 2-gang	PDL, Schneider Electric	682	250Va.c, 20A-16AX, M60
Wall switch	600 series switch, 3-gang	PDL, Schneider Electric	683	250Va.c, 20A-16AX, M60
Wall switch	600 series switch, 4-gang	PDL, Schneider Electric	684	250Va.c, 20A-16AX, M60
Wall switch	600 series switch, 5-gang	PDL, Schneider Electric	685	250Va.c, 20A-16AX, M60
Wall switch	600 series switch, 6-gang	PDL, Schneider Electric	686	250Va.c, 20A-16AX, M60
Wall switch	600 series switch 1-gang, horizontal	PDL, Schneider Electric	681H	250Va.c, 20A-16AX, M60
Wall switch	600 series switch 2 gang, horizontal	PDL, Schneider Electric	682H	250Va.c, 20A-16AX, M60
Wall switch	600 series switch 3 gang, horizontal	PDL, Schneider Electric	683H	250Va.c, 20A-16AX, M60
Wall switch	600 series switch 4 gang, horizontal	PDL, Schneider Electric	684H	250Va.c, 20A-16AX, M60
Wall switch	600 series switch 5 gang, horizontal	PDL, Schneider Electric	685H	250Va.c, 20A-16AX, M60
Wall switch	600 series switch 6 gang, horizontal	PDL, Schneider Electric	686H	250Va.c, 20A-16AX, M60
Wall switch	Round surface switch	PDL, Schneider Electric	571	250Va.c, 20A-16AX, M60
Wall switch	Round surface hot water switch, dooly printed 'HWS'	PDL, Schneider Electric	572	250Va.c, 20A-16AX, M60
Wall switch	Hot water switch - Rectangular surface mount with conduit entry	PDL, Schneider Electric	574	250Va.c, 20A-16AX, M60
Wall switch	574 unassembled	PDL, Schneider Electric	574UNASS	250Va.c, 20A-16AX, M60

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ

