

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the Regulatory Compliance Mark (RCM) mark to products of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – **This Certificate meets the requirements of a Recognised External Certification Scheme (RECS) including the rules of the EESS.**

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Schneider Electric (Australia) Pty Ltd			
Address	33-37 Port Wakefield Road Gepps Cross SA 5094 Australia			
Client ID	102093	Global-Mark File Number:	102093-098	System 1 Approval
Certificate Number	GMA-500933-EA	Revision Number	07	
Certification Standard(s)	AS/NZS 60669.1:2013 Switches for household and similar fixed electrical installations Part 1: General requirements			
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme	

CERTIFICATE DATES

Certificate Issue Date	6/09/2016
Certificate Last Update Date	13/10/2019
Certification Expiry Date	6/09/2021

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Wall Switch	Switch Vert 3G 1/2way LED	Clipsal	3043V44	250V a.c, 10AX, M80, IP44
Wall Switch	Switch Vert 6G	PDL	386VWP	250V a.c, 20A-16AX, M80, IP44 24V d.c, 6A
Wall Switch	Switch Horiz 2G 1/2way	Clipsal	3042HA	250V a.c, 10AX, M80
Wall Switch	Mech Switch 1/2way	PDL	381M10	250V a.c, 10AX, M80
Wall Switch	Switch Horiz 4G 1/2way	Clipsal	3044HA	250V a.c, 10AX, M80
Wall Switch	Switch Horiz 2G 1/2way LED	Clipsal	3042HAL	250V a.c, 10AX, M80
Wall Switch	Mech Switch 1/2way	Clipsal	40USM	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 5G 1/2way	Clipsal	3045VA	250V a.c, 10AX, M80
Wall Switch	Switch Horiz 3G 1/2way	Clipsal	3043HA	250V a.c, 10AX, M80
Wall Switch	Mech Switch 1/2way LED	Clipsal	40USML	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 4G 1/2way	Clipsal	3044VA	250V a.c, 10AX, M80
Wall Switch	Mech Switch 1/2way Momentary LED	Clipsal	40MBPRL	250V a.c, 10AX, M80
Wall Switch	Switch Vert 4G 1/2way LED	Clipsal	3044V44	250V a.c, 10AX, M80, IP44
Wall Switch	Switch Vert 4G	PDL	384	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Arch 2G 1/2way LED	Clipsal	3042AL	250V a.c, 10AX, M80
Wall Switch	Switch Vert 1G 1/2way LED	Clipsal	3041VAL	250V a.c, 10AX, M80
Wall Switch	Switch Horiz 6G 1/2way	Clipsal	3046HA	250V a.c, 10AX, M80
Wall Switch	Switch Vert 2G 1/2way LED	Clipsal	3042VAL	250V a.c, 10AX, M80
Wall Switch	Switch Vert 1G	PDL	381VWP	250V a.c, 20A-16AX, M80, IP44 24V d.c, 6A
Wall Switch	Switch Vert 2G 1/2way LED	Clipsal	3042V44	250V a.c, 10AX, M80, IP44
Wall Switch	Mech Switch 1/2way	Clipsal	40M	250V a.c, 10AX, M80
Wall Switch	Mech Switch 1/2way LED	PDL	381M10L	250V a.c, 10AX, M80
Wall Switch	Mech Switch 1/2way	PDL	381M20	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 2G 1/2way	Clipsal	3042VA	250V a.c, 10AX, M80
Wall Switch	Switch Vert 3G	PDL	383	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Horiz 5G 1/2way	Clipsal	3045HA	250V a.c, 10AX, M80
Wall Switch	Switch Vert 5G 1/2way LED	Clipsal	3045V44	250V a.c, 10AX, M80, IP44

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Handwritten signature of Jerrisa Hobbs



JAS-ANZ





global-mark®

Certificate of Conformity

Wall Switch	Switch Vert 1G	PDL	381	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Mech Switch 1/2way LED	PDL	381M20L	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 1G 1/2way	Clipsal	3041VA	250V a.c, 10AX, M80
Wall Switch	Switch Vert 3G	PDL	383VWP	250V a.c, 20A-16AX, M80, IP44 24V d.c, 6A
Wall Switch	Mech Switch 1/2way LED	Clipsal	40ML	250V a.c, 10AX, M80
Wall Switch	Switch Vert 1G 1/2way LED	Clipsal	3041V44	250V a.c, 10AX, M80, IP44
Wall Switch	Switch Vert 5G	PDL	385VWP	250V a.c, 20A-16AX, M80, IP44 24V d.c, 6A
Wall Switch	Switch Arch 1G 1/2way LED	Clipsal	3041AL	250V a.c, 10AX, M80
Wall Switch	Switch PCU Vert	PDL	PDL351	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 4G	PDL	384VWP	250V a.c, 20A-16AX, M80, IP44 24V d.c, 6A
Wall Switch	Mech Switch 1/2way Momentary LED	PDL	381M10PML	250V a.c, 10AX, M80
Wall Switch	Switch Vert 1G LED	PDL	381L	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 2G	PDL	382VWP	250V a.c, 20A-16AX, M80, IP44 24V d.c, 6A
Wall Switch	Switch Horiz 1G 1/2way LED	Clipsal	3041HAL	250V a.c, 10AX, M80
Wall Switch	Switch Vert 3G 1/2way	Clipsal	3043VA	250V a.c, 10AX, M80
Wall Switch	Switch Vert 2G	PDL	382	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 2G LED	PDL	382L	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 3G	PDL	383L	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Switch Vert 6G 1/2way LED	Clipsal	3046V44	250V a.c, 10AX, M80, IP44
Wall Switch	Switch Horiz 1G 1/2way	Clipsal	3041HA	250V a.c, 10AX, M80
Wall Switch	Switch Vert 6G 1/2way	Clipsal	3046VA	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 1G Vert 1/2 way	Clipsal	3041VAG	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 1G Vert 1/2 way	PDL	381GM10	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 2G Vert 1/2 way	Clipsal	3042VAG	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 2G Vert 1/2 way	PDL	382GM10	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 3G Vert 1/2 way	Clipsal	3043VAG	250V a.c, 10AX, M80

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Conformity

Wall Switch	Grid & Switch Mech Assy 3G Vert 1/2 way	PDL	383GM10	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 4G Vert 1/2 way	Clipsal	3044VAG	250V a.c, 10AX, M80
Wall Switch	Grid & Switch Mech Assy 4G Vert 1/2 way	PDL	384GM10	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way	Clipsal	P40M	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way	PDL	P381M10	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way LED	Clipsal	P40ML	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way LED	PDL	P381M10L	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way	Clipsal	P40ISM	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Pro series, Mech Switch 1/2way	PDL	P381M20	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Pro series, Mech Switch 1/2way LED	Clipsal	P40USML	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Pro series, Mech Switch 1/2way LED	PDL	P381M20L	250V a.c, 20A-16AX, M80 24V d.c, 6A
Wall Switch	Pro series, Mech Switch 1/2way Momentary	Clipsal	P40MBPR	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way Momentary	PDL	P381M10PM	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way Momentary LED	Clipsal	P40MBPRL	250V a.c, 10AX, M80
Wall Switch	Pro series, Mech Switch 1/2way Momentary LED	PDL	P381M10PML	250V a.c, 10AX, M80
Wall Switch	Pro series Switch Vertical 1G	Clipsal	P3041VA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 2G	Clipsal	P3042VA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 3G	Clipsal	P3043VA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 4G	Clipsal	P3044VA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 5G	Clipsal	P3045VA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 6G	Clipsal	P3046VA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Horizontal 1G	Clipsal	P3041HA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Horizontal 2G	Clipsal	P3042HA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Horizontal 3G	Clipsal	P3043HA	250V a.c, 20A/16AX, M80

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Conformity

Wall Switch	Pro series, Switch Horizontal 4G	Clipsal	P3044HA	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, IP44 Switch Vertical 1G	Clipsal	P3041V44	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, IP44 Switch Vertical 2G	Clipsal	P3042V44	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, IP44 Switch Vertical 3G	Clipsal	P3043V44	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, IP44 Switch Vertical 4G	Clipsal	P3044V44	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, Switch Arch 1G	Clipsal	P3041A	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Arch 2G	Clipsal	P3042A	250V a.c, 20A/16AX, M80
Wall Switch	Pro series Switch Vertical 1G	PDL	P381	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 2G	PDL	P382	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 3G	PDL	P383	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Vertical 4G	PDL	P384	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, IP44 Switch Vertical 1G	PDL	P381VWP	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, IP44 Switch Vertical 2G	PDL	P382VWP	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, IP44 Switch Vertical 3G	PDL	P383VWP	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, IP44 Switch Vertical 4G	PDL	P384VWP	250V a.c, 20A/16AX, M80, IP44
Wall Switch	Pro series, Switch Arch 1G	PDL	P361	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch Arch 2G	PDL	P362	250V a.c, 20A/16AX, M80
Wall Switch	Pro series, Switch PCU (Permanent Connection Unit) Vertical	PDL	P351	250V a.c, 20A/16AX, M80

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2017/06/03 Modification 1
 - add alternative models with IP44 rating
 2018/09/09 Modification 2
 Add alternative aluminium Iconic Style covers in three colours: SV - Silver, SH - Silver Shadow and CE - Champagne
 2018/09/24 Modification 3
 Correction to change aluminium covers from "Iconic Style" to "Iconic Styl" and change "CE – Champagne" to "CE - Crowne".

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Conformity

2018/11/12 Modification 4
Add alternative Iconic Essence covers in two colours: AW - Arctic White, AG - Ash Grey
2018/12/05 Modification 5
Add model numbers for the grid and switch mechanism assemblies
2019/01/17 Modification 6
Models 40USM & 381M20 with alternative rating - 24Vdc, 6A complies with requirements of AS/NZS 3133:2013 + A1 - 2
2019/10/12 Modification 7
Add Pro series switch mechanisms and Pro series grid plates and cover switch assemblies.
Switch mechanisms suitable to be mounted in the following grid plates and covers:
1G-6G Iconic series grids and Iconic/Iconic Styl/Iconic Essence covers
1G-6G Pro series grids and covers in two colours BK - black & XW - white
1G-2G 56 series enclosures (IP66 rated)
Issued under EESS rules

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ

