

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the mentioned mark to products of the same type; or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Schneider Electric (Australia) Pty Ltd		
Address	33-37 Port Wakefield Road Gepps Cross 5094 SA Australia		
Client ID	102093	Global-Mark File Number:	102093-137
Certification and Authorized Mark Number	GMA-502451-EA	Revision Number	01
Certification Standard(s)	AS/NZS 3133:2013 including A1 -2 Approval and test specification - Air-break switches		
Type of Certification	Electrical Safety Product	<i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date	30/08/2017
Certificate Last Update Date	22/12/2017
Certification Expiry Date	30/08/2022

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	Clipsal	56SW110	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	Clipsal	56SW110LE	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	Clipsal	56SW110/2	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal - Less Enclosure	Clipsal	56SW110/2LE	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	Clipsal	56SW115	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	Clipsal	56SW115LE	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	Clipsal	56SW115/2	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal - Less Enclosure	Clipsal	56SW115/2LE	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - Intermediate switch	Clipsal	56SW110/I	250V a.c, 10AX, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position.	Clipsal	56K1SW115	250V a.c, 15AX, M80, IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager






global-mark®

Certificate of Conformity

Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position - Less Enclosure	Clipsal	56K1SW115LE	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position, uses Common Key.	Clipsal	56K1SW115CK	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position, uses Common Key - Less Enclosure	Clipsal	56K1SW115CKL	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way, for Locking In Only The 'OFF' Position, uses Medium Security Key.	Clipsal	56K1SW115MS	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way, for Locking In Only The 'OFF' Position, Medium Security KSW, Common Ley Lock.	Clipsal	56K1SW115MSK	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW115	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW115LE	250V a.c, 15AX, M80, IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ



Certificate of Conformity

Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1- way for Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW115CK	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position, uses Medium Security Key.	Clipsal	56K2SW115MS	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way, for Locking In the 'ON' and 'OFF' Position, Medium Security KSW, Common Ley Lock.	Clipsal	56K2SW115MSK	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	PDL	56SW110	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	PDL	56SW110LE	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	PDL	56SW110/2	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal - Less Enclosure	PDL	56SW110/2LE	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position.	PDL	56SWK110	250V a.c, 15AX, M80, IP66


This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Conformity

Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position - Less Enclosure	PDL	56SWK110LE	250V a.c, 15AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position	PDL	56SW2K110	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position - Less Enclosure	PDL	56SW2K110LE	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 2-way for Locking In the '1' and '2' Position	PDL	56SW2K110/2	250V a.c, 10AX, M80, IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 2-way for Locking In the '1' and '2' Position - Less Enclosure	PDL	56SW2K110/2LE	250V a.c, 10AX, M80, IP66

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
2017/12/22 Modification 1 - add alternative models with trade name PDL. - add alternative manufacturer - relocated

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ

