

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Schneider Electric (Australia) Pty Ltd		
Address	33-37 Port Wakefield Road Gepps Cross SA 5094 Australia		
Client ID	102093	Global-Mark File Number:	102093-307
Certificate Number & Approval Mark	GMA-510615-EA	Revision Number	00
Certification Standard(s)	AS/NZS 3133:2013 including A1 -2 Approval and test specification - Air-break switches		
Type of Certification	Electrical Safety Product	<i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	9/08/2021
Certificate Last Update Date	
Certification Expiry Date	9/08/2026

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	Clipsal	56SW110/2	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal - Less Enclosure	Clipsal	56SW110/2LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - Intermediate switch	Clipsal	56SW110/1	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - Intermediate switch - Less Enclosure	Clipsal	56SW110/1LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	Clipsal	56SW110	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	Clipsal	56SW110LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	Clipsal	56SW115/2	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal - Less Enclosure	Clipsal	56SW115/2LE	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	Clipsal	56SW115	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	Clipsal	56SW115LE	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal	Clipsal	56SW116	250 Va.c., 16AX, M80 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

Certificate of Conformity

Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	Clipsal	56SW116LE	250 Va.c., 16AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 2-Pole.	Clipsal	56SW210/2	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 2-Pole - Less Enclosure	Clipsal	56SW210/2LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Easy56 Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal	Schneider Electric	EY56SW110	250 Va.c., 10AX, M80 , IP66
Wall Switch	Easy56 Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal-Less Enclosure	Schneider Electric	EY56SW110LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - Intermediate Changeover	PDL	56SW1102I	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - Intermediate Changeover - Less Enclosure	PDL	56SW1102ILE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	PDL	56SW1102	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal - Less Enclosure	PDL	56SW1102LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	PDL	56SW110	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	PDL	56SW110LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal	PDL	56SW116	250 Va.c., 16AX, M80 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

Certificate of Conformity

Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	PDL	56SW116LE	250 Va.c., 16AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 2-way 4-terminal.	Schneider Electric	56SW110/2	250 Va.c., 10AX, M80 , IP66
Wall Switch	Easy56 Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal	Schneider Electric	56SW110	250 Va.c., 10AX, M80 , IP66
Wall Switch	Easy56 Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal-Less Enclosure	Schneider Electric	56SW110LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal.	Schneider Electric	56SW115	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switches - Standard Range In Standard Enclosures - 1-way 2-terminal - Less Enclosure	Schneider Electric	56SW115LE	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position, uses Common Key.	Clipsal	56K1SW115CK	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position, uses Common Key - Less Enclosure	Clipsal	56K1SW115CKL	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position.	Clipsal	56K1SW115	250 Va.c., 15AX, M80 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

Certificate of Conformity

Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In Only The 'OFF' Position - Less Enclosure	Clipsal	56K1SW115LE	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way, for Locking In Only The 'OFF' Position, uses Medium Security Key.	Clipsal	56K1SW115MS	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way, for Locking In Only The 'OFF' Position, Medium Security KSW, Common Ley Lock.	Clipsal	56K1SW115MSK	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW115	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW115CK	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW115LE	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way for Locking In the 'ON' and 'OFF' Position, uses Medium Security Key.	Clipsal	56K2SW115MS	250 Va.c., 15AX, M80 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

Certificate of Conformity

Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures. Single-pole, 1-way, for Locking In the 'ON' and 'OFF' Position, Medium Security KSW, Common Ley Lock.	Clipsal	56K2SW115MSK	250 Va.c., 15AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 2-way for Locking in The '1' and '2' Position	PDL	56SW2K1102	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 2-way for Locking in The '1' and '2' Position - Less Enclosure	PDL	56SW2K1102LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 1-way for Locking in The 'ON and 'OFF' Position.	PDL	56SW2K110	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 1-way for Locking in The 'ON and 'OFF' Position - Less Enclosure	PDL	56SW2K110LE	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 1-way for Locking in Only The 'OFF' Position.	PDL	56SWK110	250 Va.c., 10AX, M80 , IP66
Wall Switch	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 1-way for Locking in Only The 'OFF' Position - Less Enclosure	PDL	56SWK110LE	250 Va.c., 10AX, M80 , IP66

RELEVANT TRADEMARK (S)

--

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

Certificate of Conformity

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER