

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Star Delta Starter

Name and address of the applicant

Schneider Electric Industries SAS

35 rue Joseph Monier 92500 Rueil-Malmaison

France

Name and address of the manufacturer

Schneider Electric Industries SAS

35 rue Joseph Monier 92500 Rueil-Malmaison

France

Name and address of the factory

Note: When more than one factory, please report on page 2

Schneider Electric Industries S. A.

ZAC Le Village 27100 Le Vaudreuil

France

Ratings and principal characteristics

Ui: 690V; Uimp:8kV; Utilization category: AC-3; 3P; Ue: AC230V,AC400V,AC415V,AC440V; In: 115A to 132A

Trademark / Brand (if any)

Customer's Testing Facility (CTF) Stage used

Schneider Electric

Model / Type Ref.

T_C3D80

Additional information (if necessary may also be reported on page 2)

See additional page(s) for further Additional information.

A sample of the product was tested and found to be in conformity with

IEC 60947-4-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

CN23A7BI 001

This CB Test Certificate is issued by the National Certification Body



2023-05-19

TÜV Rheinland InterCert Kft., MEEI Division H-1143 Budapest, Gizella út 51-57., Hungary Web: www.tuv.com

Signature: Wencai Zhang

10/061SMD 2022-07 rke-fix

Date:

Abrai Zhag



Page 2 of 2

Additional information:

Further ratings for Models:

Type designation:

LC3D 80 P7 A64 (1) (2) (3) (4)

Possible values:

- (1): Basic product type LC3D: TeSys Deca Star delta starter
- (2): Size: 80
- (3): Coil code: see below
 A: Din Rail installation
 OA: Plate mounting
- (4): Blank: different contactor category for KM1, KM2, KM3 A64: same contactor category for KM1, KM2, KM3

Coil cod	le Us(V)	Frequency
Z7	20	50 / 60Hz
В7	24	50 / 60Hz
D7	42	50 / 60Hz
E7	48	50 / 60Hz
K7	100	50 / 60Hz
F7	110	50 / 60Hz
FE7	115	50 / 60Hz
G7	120	50 / 60Hz
L7	200	50 / 60Hz
LE7	208	50 / 60Hz
P7	230	50 / 60Hz
Q7	380-400	50 / 60Hz
V7	400	50 / 60Hz
N7	415	50 / 60Hz
R7	440	50 / 60Hz
M7	1)220-230, 2)2	20-240 1)50Hz, 2)60Hz
U7	1)230-240, 2)2	40 1)50Hz, 2)60Hz

Electrical data:

Model	Ith	Utilization category	230V	400V	415V	440V
LC3D80	132A	Ie(AC-3)	115A	132A	127,23A	120A



2023-05-19 Signature: Wencai Zhang

Date: