

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Schneider Electric (Australia) Pty Ltd		
Address	33-37 Port Wakefield Road Gepps Cross SA 5094 Australia		
Client ID	102093	Global-Mark File Number:	102093-309
Certification and Authorized Mark Number	GMA-510620	Revision Number	00
Certification Standard(s)	AS/NZS 3133:2013 including A1 -2 Approval and test specification - Air-break switches		
Type of Certification	Electrical Safety Product	<i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	9/08/2021
Certificate Last Update Date	
Certification Expiry Date	9/08/2026

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Surface Switches - Heavy Duty Range In Standard Enclosures - 1-Pole	Clipsal	56SW110HD	250 Va.c., 10AX, M100 , IP66
Non declared	Surface Switches - Heavy Duty Range In Standard Enclosures - 1-Pole - Less Enclosure	Clipsal	56SW110HDLE	250 Va.c., 10AX, M100 , IP66
Non declared	Surface Switches - Heavy Duty Range In Standard Enclosures - 1-Pole	Clipsal	56SW115HD	250 Va.c., 15AX, M100 , IP66
Non declared	Surface Switches - Heavy Duty Range In Standard Enclosures - 1-Pole - Less Enclosure	Clipsal	56SW115HDLE	250 Va.c., 15AX, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole	Clipsal	56SW120	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	Clipsal	56SW120LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole	Clipsal	56SW132	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	Clipsal	56SW132LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	Clipsal	56SW216LE	250 Va.c., 16A, M120 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole	Clipsal	56SW220	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole	Clipsal	56SW232	250 Va.c., 32A, M180 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	Clipsal	56SW232LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Clipsal	56SW310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	Clipsal	56SW310LE	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	Clipsal	56SW316LE	500 Va.c., 16A, M120 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Clipsal	56SW320	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	Clipsal	56SW320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Forward Reverse - 3-Pole, 1-Gang	Clipsal	56SW320R	500 Va.c., 20A, IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Forward Reverse - 3-Pole, 1-Gang - Less Enclosure	Clipsal	56SW320RLE	500 Va.c., 20A, IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Clipsal	56SW332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	Clipsal	56SW332LE	500 Va.c., 32A, M180 , IP66
Non declared	Easy56 series Surface Switches - Standard Range In Standard Enclosures - 1-Pole	Schneider Electric	EY56SW120	250 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	Easy56 series Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	Schneider Electric	EY56SW120LE	250 Va.c., 20A, M150 , IP66
Non declared	Easy56 series Surface Switches - Standard Range In Standard Enclosures - 1-Pole	Schneider Electric	EY56SW132	250 Va.c., 32A, M180 , IP66
Non declared	Easy56 series Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Schneider Electric	EY56SW310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	Schneider Electric	EY56SW320	500 Va.c., 20A, M150 , IP66
Non declared	Easy56 series Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Schneider Electric	EY56SW332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	PDL	56SW120LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	PDL	56SW132LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	PDL	56SW210LE	250 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	PDL	56SW216LE	250 Va.c., 16A, M120 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	PDL	56SW220LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	PDL	56SW232LE	250 Va.c., 32A, M180 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switches - Standard Range In Standard Enclosures - Keylock- 1-Pole - Less Enclosure	PDL	56SW2K120LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Keylock -1-Pole - Less Enclosure	PDL	56SW2K132LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Keylock - 3-Pole - Less Enclosure	PDL	56SW2K320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Common Keylock - 1-Pole - Less Enclosure	PDL	56SW2KC132LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Common Keylock - 2-Pole - Less Enclosure	PDL	56SW2KC220LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Common Keylock - 3-Pole - Less Enclosure	PDL	56SW2KC320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	PDL	56SW310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	PDL	56SW310LE	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	PDL	56SW316	500 Va.c., 16A, M120 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	PDL	56SW316LE	500 Va.c., 16A, M120 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	PDL	56SW320	500 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	PDL	56SW320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	PDL	56SW332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	PDL	56SW332LE	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 1-way for Locking in Only The 'OFF' Position.	PDL	56SWK120	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 1-way for Locking in Only The 'OFF' Position.	PDL	56SWK132	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 3-way for Locking in Only The 'OFF' Position.	PDL	56SWK310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 3-way for Locking in Only The 'OFF' Position.	PDL	56SWK320	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 3-way for Locking in Only The 'OFF' Position - Less Enclosure	PDL	56SWK320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures, Single Pole, 3-way for Locking in Only The 'OFF' Position	PDL	56SWK332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - Common Keylock - 1-Pole	PDL	56SWKC120	250 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switches - Standard Range In Standard Enclosures - Common Keylock - 3-Pole	PDL	56SWKC320	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole	Schneider Electric	56SW120	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole - Less Enclosure	Schneider Electric	56SW120LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 1-Pole	Schneider Electric	56SW132	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole	Schneider Electric	56SW220	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole - Less Enclosure	Schneider Electric	56SW220LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 2-Pole	Schneider Electric	56SW232	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Schneider Electric	56SW310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	Schneider Electric	56SW310LE	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Schneider Electric	56SW316	500 Va.c., 16A, M120 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Schneider Electric	56SW320	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	Schneider Electric	56SW320LE	500 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole	Schneider Electric	56SW332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switches - Standard Range In Standard Enclosures - 3-Pole - Less Enclosure	Schneider Electric	56SW332LE	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch - Locking In The 'OFF' Position.	Clipsal	56K1SW120	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In The 'OFF' Position, uses Common Key	Clipsal	56K1SW120CK	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In The 'OFF' Position - Less Enclosure	Clipsal	56K1SW120LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch - Locking In The 'OFF' Position.	Clipsal	56K1SW132	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In The 'OFF' Position, uses Common Key	Clipsal	56K1SW132CK	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch - Locking In The 'OFF' Position - Less Enclosure	Clipsal	56K1SW132LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In the 'ON' and 'OFF' Position, uses Medium Security Keylock.	Clipsal	56K1SW132MS	250 Va.c., 32A, M180 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 2-pole, key operated switch - Locking In The 'OFF' Position.	Clipsal	56K1SW220	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 2-pole, Locking In The 'OFF' Position, uses Common Key	Clipsal	56K1SW220CK	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 2-pole, key operated switch - Locking In The 'OFF' Position- Less Enclosure	Clipsal	56K1SW220LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch - Locking In The 'OFF' Position.	Clipsal	56K1SW310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In Only The 'OFF' Position, uses Common Key	Clipsal	56K1SW310CK	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch - Locking In The 'OFF' Position - Less Enclosure	Clipsal	56K1SW310LE	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In the 'ON' and 'OFF' Position, uses Medium Security Keylock.	Clipsal	56K1SW310MS	500 Va.c., 10A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. Three-pole, 3-way, for Locking In the 'ON' and 'OFF' Position, Medium Security KSW, Common Key Lock.	Clipsal	56K1SW310MSK	500 Va.c., 10A, M180 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch - Locking In The 'OFF' Position.	Clipsal	56K1SW320	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In Only The 'OFF' Position, uses Common Key	Clipsal	56K1SW320CK	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch - Locking In The 'OFF' Position - Less Enclosure	Clipsal	56K1SW320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch - Locking In The 'OFF' Position.	Clipsal	56K1SW332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In Only The 'OFF' Position, uses Common Key	Clipsal	56K1SW332CK	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. Three-pole, 3-way for Locking In Only The 'OFF' Position - Less Enclosure	Clipsal	56K1SW332LE	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW120	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW120CK	250 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch, Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW120LE	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW132	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW132CK	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch, Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW132LE	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, Locking In the 'ON' and 'OFF' Position, uses Medium Security Key.	Clipsal	56K2SW132MS	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 2-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW220	250 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 2-pole, Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW220CK	250 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 2-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW232	250 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW310	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW310CK	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch, Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW310LE	500 Va.c., 10A, M100 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In the 'ON' and 'OFF' Position, uses Medium Security Key.	Clipsal	56K2SW310MS	500 Va.c., 10A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In the 'ON' and 'OFF' Position, Medium Security KSW, Common Key Lock.	Clipsal	56K2SW310MSK	500 Va.c., 10A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW320	500 Va.c., 20A, M150 , IP66

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Suitability

Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW320CK	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 1-pole, key operated switch, Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW320LE	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated to suit PWD - (able to turn OFF without key)	Clipsal	56K2SW320PWD	500 Va.c., 20A, M150 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch, Locking In the 'ON' and 'OFF' Position	Clipsal	56K2SW332	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, Locking In the 'ON' and 'OFF' Position, uses Common Key.	Clipsal	56K2SW332CK	500 Va.c., 32A, M180 , IP66
Non declared	Surface Switch, Key Lock range, in Standard Enclosures. 3-pole, key operated switch, Locking In the 'ON' and 'OFF' Position - Less Enclosure	Clipsal	56K2SW332LE	500 Va.c., 32A, M180 , IP66

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

Certificate of Suitability

Complies with AS/NZS 3133:2020

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER