


DEMKO CERTIFICATE

Certificate No.	D-10333
Page	1/4
Date of Issue	2024-01-23
Certificate Holder	SCHNEIDER ELECTRIC INDUSTRIES SAS 35 RUE JOSEPH MONIER RUEIL MALMAISON 92500 FRANCE
Production site	SCHNEIDER ELECTRIC ELDA S.A. UL. BUGNO 1 SZCZECINEK, ZACHODNIOPOMORSKIE, 78 400 POLAND
Certified Product	Junction box
Model	MIB-A1, MIB-A2, MIB-J
Trademark	
Ratings	500V
Tested according to	EN IEC 60670-1:2021, EN IEC 60670-1:2021/A11:2021
Test Report No.	SE-S-2100308R2 issued on 2023-11-27
Additional	See page 2 for additional information
Expire date	2026-03-04

Certification Manager
Thomas Wilson

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D-Mark Requirements. As specified in the respective appendix below the Designated Certificate holder is entitled to use the D-Mark, or its alternative for cables, for the Certified Product manufactured at the production site(s) identified above, in accordance with the D-Mark Service Agreement, including without limitation the D-Mark Testing and Certification Services Service Terms. Only those Products bearing the D-Mark should be considered as being covered by UL's D-Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.UL.com



Appendix DEMKO CERTIFICATE

Certificate No. D-10333

Page 2/4

Date of Issue 2024-01-23

Additional Information:

Product information Flush mounted boxes of insulating material in white colour. The boxes are provided with anchorage for flexible/sheathed cable diam. 8,2-14 mm. See table below.

Type	Article no	Description
MIB-A1	20002339	Limited for built-in use in cable trunking system for single flush mounted accessories. Dimension inner ca 68x65 mm, depth 40 mm, for accessories with fixing distance of 60 mm. For single accessories and alternative provided with 2 insulating frame no. 20038167 (MIB-A1D3).
MIB-A2	20002340	Limited for built-in use in cable trunking system for double flush mounted accessories. Dimension inner ca 135x67 mm, depth 40 mm, for accessories with fixing distance of 60 mm.
MIB-J	20002341	Junction box, limited for built-in use in cable trunking system. Dimension inner ca 67x67 mm, depth 36 mm for floating terminals.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.UL.com




Appendix DEMKO CERTIFICATE

Certificate No. D-10333
Page 3/4
Date of Issue 2024-01-23

Certification Mark D-Mark

The D-Mark, as displayed below, shall appear on certified products only. Except as specified below the Mark shall be legible and no Minimum size is specified.



The size of the Mark may be reduced or enlarged on the condition that it remains readable and that the proportions of width and height are kept. The use of dark text for the D-Mark on light backgrounds and light text on dark backgrounds is permitted.

The D-Mark may appear on a label, nameplate, or may be cast, stamped or molded into the product. When appearing on a label or nameplate, the Manufacturer's name or trademark along with a model number are also required on that same label or nameplate. If cast, stamped or molded, the Certificate Manufacturer's name or trademark and model number shall also appear elsewhere on the product

When putting the product on the EU market, the manufacturer's name, trademark or mark of origin must be affixed in a clearly visible location and position on the product, on the package and in the user manual. It can be affixed by label, be directly imprinted, or cast or molded into the product.

Where the size of the product does not allow the Mark, the manufacturer's name, trademark, mark of origin and model number to be legible, and appearance on a label is not desired, it is allowed to cast, stamp or mold the Mark into the product, in a size which is not visible to the naked eye, provided the legible Mark, the manufacturer's name, trademark or mark of origin and model number appears on the package and in the user manual

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.UL.com



Appendix DEMKO CERTIFICATE

Certificate No. D-10333
Page 4/4
Date of Issue 2024-01-23

Alternate certification Mark for cables

As an alternative to the D-Mark specified above the alternate D-Mark, displayed below, can appear on certified cables only. Minimum size is not specified, as long as the mark is legible.

<DEMKO>

The alternate D-Mark may be cast, stamped or molded into the cable and continue throughout the length of the cable as specified in the applicable cable standard.

All content shall be in accordance with the details provided on this D-Mark Certificate.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.UL.com

