

NOTES:

- 1.INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2.REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider**  
**Electric**



TITLE: Easy UPS 3L IP31 Kit  
250kVA/300kVA, 400V, 3PH  
ISOMETRIC VIEW

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3

DWG NO: E3LOPT003

DRAWN:	DIBYARANJAN	25-JUL-22
ENGINEER:	Jin Ding	26-JUL-22
APPROVED:	Sary Wang	26-JUL-22

REV.	0
FIRST ANGLE PROJECTION	



#### NOTES:

- 1.INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2.REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3.ALL DIMENSIONS ARE IN MILLIMETERS [INCHES] UNLESS OTHERWISE SPECIFIED.
- △4.FRONT AND REAR CLEARANCE ARE FOR AIRFLOW AND SERVICE ACCESS.CONSLUT WITH THE LOCAL SAFETY CODES AND STANDARDS FOR ANY ADDITIONAL REQUIREMENTS OF LOCAL AREA.
- △5.FOLLOW THE INSTRUCTIONS IN MANUAL FOR INSTALLATION OF IP31 KIT.
- 6.WEIGHT OF UPS REAR COVER:10kg [22 lb], TOP CANOPY:11kg [24.25 lb].
- 7.COLOR: RAL 9003.
- 8.PROTECTION CLASS: IP31.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider Electric**


TITLE: Easy UPS 3L IP31 Kit  
250kVA/300kVA, 400V, 3PH  
GENERAL ARRANGEMENT

PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3


DWG NO: E3LOPT003

DRAWN: DIBYARANJAN	25-JUL-22
ENGINEER: Jin Ding	26-JUL-22
APPROVED: Sary Wang	26-JUL-22


REV. 0  
FIRST ANGLE  
PROJECTION




FRONT VIEW




LEFT SIDE VIEW



ISOMETRIC VIEW



TOP VIEW



BOTTOM VIEW

OBLONG HOLE  
8 PLACES.  
(REFER TO  
ENLARGED VIEW)

- NOTES:
- 1.INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
  - 2.REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
  - 3.ALL DIMENSIONS ARE IN MILLIMETERS [INCHES] UNLESS OTHERWISE SPECIFIED.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider**  
Electric

TITLE: Easy UPS 3L IP31 Kit  
250kVA/300kVA, 400V, 3PH  
CANOPY- GENERAL ARRANGEMENT

PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 3

DWG NO: E3LOPT003

DRAWN: DIBYARANJAN	25-JUL-22
ENGINEER: Jin Ding	26-JUL-22
APPROVED: Sary Wang	26-JUL-22

REV. 0  
FIRST  
ANGLE  
PROJECTION