

- NOTES:
1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
  2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
  3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
  4. FRONT/REAR/SIDE/TOP SERVICE, VENTILATION CLEARANCE REQUIRED. CONSULT WITH THE LOCAL SAFETY CODES AND STANDARDS FOR ANY ADDITIONAL REQUIREMENTS OF LOCAL AREA.
  5. COLOR: RAL 9003.
  6. PROTECTION CLASS: IP20.
  7. OPERATING TEMPERATURE: 0°C TO 40°C [32°F TO 104°F].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider Electric**

TITLE:  
EASY UPS 3S PRO  
10 - 20kVA, 400V, 3PH  
WITHOUT BATTERY MODULES  
GENERAL ARRANGEMENT

PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 4


DWG NO: E3SP10K20H

DRAWN: TRASSIA 25-FEB-25  
ENGINEER: YAPING YANG 28-FEB-25  
APPROVED: PETER WANG 28-FEB-25

REV. 0  
FIRST ANGLE PROJECTION

SKU NUMBER	NET WEIGHT IN kg [lb]	CENTER OF GRAVITY IN mm [inches]		
		X-Distance	Y-Distance	Z-Distance
E3SP10KH	35 [77.2]	125 [4.92]	236 [9.29]	289.8 [11.4]
E3SP15KH	36 [79.4]			
E3SP20KH	37 [81.6]			





- NOTES:
1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
  2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
  3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider**  
**Electric**

TITLE:

EASY UPS 3S PRO  
10 - 20KVA, 400V, 3PH  
WITHOUT BATTERY MODULES  
TOP & BOTTOM VIEWS

PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 4

DWG NO:

E3SP10K20H REV. 0

DRAWN:

TRASSIA

25-FEB-25

ENGINEER:

YAPING YANG

28-FEB-25




APPROVED:

PETER WANG

28-FEB-25

FIRST  
ANGLE  
PROJECTION





#### NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider Electric**

#### TITLE:

EASY UPS 3S PRO  
10 - 20kVA, 400V, 3PH  
WITHOUT BATTERY MODULES  
REAR VIEWS

PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 4

#### DWG NO:

E3SP10K20H

#### DRAWN:

TRASSIA

#### ENGINEER:

YAPING YANG

#### APPROVED:


PETER WANG

#### REV.


1

FIRST  
ANGLE  
PROJECTION





△ PARALLEL BOARD



PARALLEL CONNECTION

**NOTES:**

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
3. UP TO 4 NUMBERS OF UPS CAN BE CONNECTED IN PARALLEL. MAXIMUM COMMUNICATION CABLE LENGTH IS 5 Meters.

**△ PARALLEL BOARD SETTINGS:**

REMOVE JUMPERS FROM THE PARALLEL BOARD ACCORDING TO YOUR SYSTEM:

- a. IN PARALLEL SYSTEM WITH TWO UPSs, REMOVE JUMPERS FROM J34, J36, J38, J40 AND 42 ON BOTH BOARDS
- b. IN PARALLEL SYSTEMS WITH THREE OR FOUR UPS, REMOVE THE JUMPERS FROM J33, J34, J35, J36, J37, J38, J39, J40, J41, J42 ON ALL PARALLEL BOARDS.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

**Schneider Electric**

TITLE:  
EASY UPS 3S PRO  
10 - 20kVA, 400V, 3PH  
WITHOUT BATTERY MODULES  
PARALLEL CONNECTION

PROJECT: SUBMITTAL DRAWINGS SHEET 4 OF 4

DWG NO:	E3SP10K20H		REV:	0
DRAWN:	TRASSIA	25-FEB-25	FIRST	ANGLE
ENGINEER:	YAPING YANG	28-FEB-25	APPROVED:	PETER WANG
PROJECT:	SUBMITTAL DRAWINGS	SHEET 4 OF 4	DATE:	28-FEB-25