

Certificate of Compliance

Certificate Number(s):

UL-US-L164862-12856-
11010002-13

Report Reference:

E48539-20001011

Issue Date:

2026-04-10

Issued to:

Schneider Electric Industries SAS
Electropole/Eybens, Power / LV, 31 Rue Pierre Mendes France,
Grenoble Cedex 9, 38050, FR

This certificate confirms that representative samples of:
NLDX - Motor Controllers, Magnetic

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 60947-1, Edition 6, Issue Date 2022-05-31
UL 60947-4-1, 4th Ed., Issue Date: 2022-05-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L164862-12856-11010002-13
Report reference: E48539-20001011
Issue Date: 2026-04-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Accessory Connection Module

Model(s): LAD5C11, LAD5C32, LAD5C31, LAD5C12

Across-the-line starters kits for reversing contactors LC2DT

Model(s): LADT9R1 and LADT9R1V

Magnetic Motor Controllers

Model(s): LC1D1210 dc coil device, LC1D2510 dc coil device, LC1D1201 dc coil device, LC1D3801 dc coil device, LC1D2501 dc coil device, LC1D3201 dc coil device, LC1D0901 dc coil device, LC1D1810 dc coil device, LC1D1801 dc coil device *followed by one or two or three letters, may be followed by a digit number, may be followed by X.*

Model(s): T02BN13, T02CN13 followed by one or two letters,, T02AN23 followed by one or two letters,, T02CN23, T02BN23 followed by one or two letters, *may be followed by a number.*

Magnetically operated contactors and reversing contactors, open type, three and four pole devices

Model(s): T02AN13 *may be followed by a number*

Open type, Motor controllers

Model(s): Electrical interlock kit LAD9V0A

Changeover power, : coupling kit LAD9V19A

Kits for reversing contactor, : LAD9R1V, LAD9R1, LAD9V21A

Star delta, : coupling kit LAD91218A

Model(s): LC1DT20, LC1DT25, LC1DT32, LC1DT40, LC2DT20, LC2DT25, LC2DT32 *DC coil devices, f may be followed by one digit number 3 or 6, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): LC1D098, LC1D128, LC1D188, LC1D258 *DC coil devices, may be followed by one digit number 3 or 6, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): LC1D09, LC1D12, LC1D18, LC1D25, LC1D32, LC1D38 *dc coil devices, may be followed by one digit number 3 or 6 or A, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): LC2D09, LC2D12, LC2D18, LC2D25, LC2D32, LC2D38 *dc coil devices, may be followed by one digit number 3 or 6, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): DPE09, DPE12, DPE18, DPE25, DPE32 or DPE38 *dc coil devices, may be followed by one digit number 3 or 6, followed by two or three letters.*

Model(s): LC1D3810 dc coil device, LC1D0910 dc coil device, LC1D3210 dc coil device *followed by one or two or three letters, may be followed by a digit number, may be followed by X.*

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-L164862-42856-
11010002-13

Report Reference:

E48539-20001011

Issue Date:

2026-04-10

Issued to:

Schneider Electric Industries SAS
Electropole/Eybens, Power / LV, 31 Rue Pierre Mendes France,
Grenoble Cedex 9, 38050, FR

This certificate confirms that representative samples of:

NLDX7 - Motor Controllers, Magnetic Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 60947-1:22, 3rd Ed., Issue Date: 2022-5-31

CSA C22.2 No. 60947-4-1:22, Edition 3, Issue Date 2022-05-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L164862-42856-11010002-13
Report reference: E48539-20001011
Issue Date: 2026-04-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Accessory Connection Module

Model(s): LAD5C11, LAD5C32, LAD5C31, LAD5C12

Across-the-line starters kits for reversing contactors LC2DT

Model(s): LADT9R1 and LADT9R1V

Magnetic Motor Controllers

Model(s): LC1D1210 dc coil device, LC1D2510 dc coil device, LC1D1201 dc coil device, LC1D3801 dc coil device, LC1D2501 dc coil device, LC1D3201 dc coil device, LC1D0901 dc coil device, LC1D1810 dc coil device, LC1D1801 dc coil device *followed by one or two or three letters, may be followed by a digit number, may be followed by X.*

Model(s): T02BN13, T02CN13 followed by one or two letters,, T02AN23 followed by one or two letters,, T02CN23, T02BN23 followed by one or two letters, *may be followed by a number.*

Magnetically operated contactors and reversing contactors, open type, three and four pole devices

Model(s): T02AN13 *may be followed by a number*

Open type, Motor controllers

Model(s): Electrical interlock kit LAD9V0A

Changeover power, : coupling kit LAD9V19A

Kits for reversing contactor, : LAD9R1V, LAD9R1, LAD9V21A

Star delta, : coupling kit LAD91218A

Model(s): LC1DT20, LC1DT25, LC1DT32, LC1DT40, LC2DT20, LC2DT25, LC2DT32 *DC coil devices, f may be followed by one digit number 3 or 6, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): LC1D098, LC1D128, LC1D188, LC1D258 *DC coil devices, may be followed by one digit number 3 or 6, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): LC1D09, LC1D12, LC1D18, LC1D25, LC1D32, LC1D38 *dc coil devices, may be followed by one digit number 3 or 6 or A, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): LC2D09, LC2D12, LC2D18, LC2D25, LC2D32, LC2D38 *dc coil devices, may be followed by one digit number 3 or 6, followed by two or three letters, and may be followed by S207, may be followed by USA.*

Model(s): DPE09, DPE12, DPE18, DPE25, DPE32 or DPE38 *dc coil devices, may be followed by one digit number 3 or 6, followed by two or three letters.*

Model(s): LC1D3810 dc coil device, LC1D0910 dc coil device, LC1D3210 dc coil device *followed by one or two or three letters, may be followed by a digit number, may be followed by X.*

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

