

Product End of Life Instructions

PowerLogic™ PM5350 series





Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


⚠ WARNING

HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
 - Use all necessary personal protective equipment such as gloves and goggles.
- Failure to follow these instructions can result in death or serious injury.**



End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|-------------------|-------------------|--------------------------------------|---------------|---------|
| To be dismantled | 1 | RETAINER SLIDE | 2.2 | |
| To be depolluted | 2 | 63230-401-05 FRONT BEZEL, PM5XXX | 25.7 | |
| Potential hazards | 3 | PM5350 PCBA | 100.94 | |
| To be depolluted | 4 | OURER_HMI_PMDB_COG | 11.4 | |
| To be dismantled | 5 | METER GASKET WITH HMI GASKET, PM5350 | 0.3 | |
| To be dismantled | 6 | HOUSING PM5350 | 66.5 | |
| To be dismantled | 7 | STEEL SCREW AND BRASS INSERTS | 14.02 | |

Product description

| | |
|-----------------------------------|--|
| Manufacturer identification | Schneider Electric Industries SAS |
| Brand name | Schneider Electric |
| Product function | The PowerLogic™ PM5350 series offers all the high performance measurement capabilities required to monitor electrical installation in a single 96 x 96 mm unit. These meters are used to monitor instantaneous values (I, V, PF, P, Q, S, THD) as much as data linked with Power demands and Energies. It allows the user to identify any energy waste, potential power distribution malfunctions which can results in inefficiency of energy usage. |
| Product reference | METSEPM5350 |
| Total representative product mass | 258.5 g |
| Representative product dimensions | W 96 mm x D 96 mm x H 57 mm |
| Date of information release | 11-2025 |

Additional information

| | |
|-------------------------|---|
| Legal information | The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. |
| Recyclability potential | 6% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). |

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI110314EN_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

11-2025