


Product End-of-Life Instructions

TWINBUS indoor telephone



Product End-of-Life Instructions – EoLI

Product overview

The main purpose of the TWINBUS indoor telephone is to communicate with the outdoor station after receiving a door call and to open the door.

Product Range: TWINBUS

Marketing Model/Name: TWINBUS indoor telephone, com. ref.: RTY176307001

Size: W x H x D in mm = 90 x 220 x 42 mm

Weight: in g =315 g

Purpose

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note:

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).

Operations recommended for the end of life treatment


There are several steps to process the products at the end of life so as to recover components, materials or energy :

Reuse → Separation for special treatment → Other dismantling → Shredding

CAUTION: *Risk of electric shock due to electrical components containing energy: capacitors.*

Product End-of-Life Instructions – EoLI

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (in g)	Comment
Depollution	1	PCBA (2x)	24g	[2, 3]
Shredding	2	Plastic (4x)	10g	[4, 6, 7, 8]
	3	Metal (1x)	34g	[5]
Dismantling	2	Plastic (5x)	237g	[1, 9, 10, 11, 12]

EoLI achieved with Schneider-Electric TT03 V5 procedure

Schneider Electric Industries SAS

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com