

Product End of Life Instructions

advanced touchscreen panel,GP4200

PFXGP42 Series





Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide

⚠ WARNING


HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	90	PCBA
To be depolluted	2	LCD (surface > 100cm ²) and all those back-lighted with gas discharge lamps	125	LCD Screen
Potential hazards	3	Battery	3	
Other			182	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Pro-face
Product function	The main purpose of the GP4200 Series is to make available Graphic Operator Interface.
Product reference	PFXGP4201TAD
Additional similar product references	PFXGP4201TADF0C PFXGP4201TAD PFXGP4201TADBU4 PFXGP4201TADF2 PFXGP4201TADWFZ09 PFXGP4201TADW PFXGP4201TADWF0C PFXGP4201TADWF2 PFXGP4203TAD PFXGP4104G1D PFXGP4104W1D PFXGP4105G1D PFXGP4105G1DH PFXGP4105W1D PFZGP4105G1D PFXGP4106G1D PFXGP4106W1D PFXGP4107G1D PFXGP4107W1D GP4104G1D GP4104W1D GP4105G1D GP4105W1D GP4106G1D GP4106W1D GP4107G1D GP4107W1D HTK4201 PFXGP4201TADFZ50 PFXGP4201TADF0CA PFXHTK4201
Total representative product mass	400 g
Representative product dimensions	106mm x 132mm x 42mm
Accessories	No
Date of information release	06-2024



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	32%	Recyclability rate has been calculated based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

ENVEOLI120704EN_V2

Published by Schneider Electric

© 2024 - Schneider Electric – All rights reserved

06-2024