

Product End-of-Life Instructions


Phaseo

Product Range

Regulated switch mode power supplies

Marketing Model

ABL7 RP1205, ABL7 RP4803



Size in mm (H x L x D):

120 x 120 x 54 for ABL7 RP1205

120 x 120 x 54 for ABL7 RP4803

Weight (excluding packaging) in g:

1000 for ABL7 RP1205

1000 for ABL7 RP4803




Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :

Reuse ⇒ **Separation for special treatment** ⇒ **Other dismantling** ⇒ **Shredding**

The components of the products that optimize the recycling performances are listed, identified and located hereunder.

These products contain below printed circuit boards (PCBs), which are recommended to be treated separately during the End of Life operations.



| Recommendation | Number on drawing | Components | Weight (g) | Comment |
|-------------------|-------------------|-------------------------|------------|---------|
| Operating hazards | None | None | – | – |
| Reuse | None | None | – | – |
| Special treatment | ① | PCBAs | 625 | – |
| Other dismantling | ② | Plastic / Polycarbonate | 55 | – |
| | ③ | Aluminium | 115 | – |
| | ④ | Steel | 105 | – |
| | None | Cables and Connectors | – | – |

Schneider Electric Industries SAS

35, rue Joseph Monier
CS30323
F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V2.

Publication : Schneider Electric