



Product End of Life Instructions

iPRD40r 3P+N



End of Life Instructions




Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	S1A96077INDICATOR/FR(17)	1.53	
To be depolluted	2	S1A96075(MOV CHASSIS)/FR(17)	15.25	
To be depolluted	3	S1B2349403PCBA	205	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Protect electrical equipment against the direct or indirect effects of lightning or against transient overvoltage.
Product reference	A9L40601
Additional similar product references	A9L40601
Total representative product mass	403.4
Representative product dimensions	90mm x72mm x 70mm
Date of information release	10/2016

Additional information

Legal information	 <p>The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.</p>	
Recyclability potential	37%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center: www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI130301EN_V2

Published by Schneider Electric

© 2016 - Schneider Electric – All rights reserved

10/2016