
Product End-of-Life Instructions

Communication Card

Product Range Communication Card

Marketing Model

TSXMBP100, 416NHM21234, 467NHP81100, FCSSCP5111, FCSSCP5114, TSXCPP110, TSXCPP110C, TSXETGCF01GI, TSXFPP10, TSXFPP10C, TSXFPP20, TSXFPP20C, TSXFPP0ZD200, TSXMBP100, TSXMBP100C, TSXMCPC002M, TSXMCPC224K, TSXMCPC512K, TSXMFP0128P2, TSXMFP064P2, TSXMFPB096K, TSXMFPP001M, TSXMFPP002M, TSXMFPP004M, TSXMFPP128K, TSXMFPP224K, TSXMFPP384K, TSXMFPP512K, TSXPCAP, TSXSCP111, TSXSCP1111, TSXSCP1114, TSXSCP1114, TSXSCP111C, TSXSCP111C, TSXSCP112C, TSXSCP112C, TSXSCP114, TSXSCP114C, TSXSCP114C, W814549070101, YCPMFPP128





Size in mm:
H x L x D : 50 x 110 x 5
Weight (excluding packaging) in g:
Between 70 and 120






Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy:

Reuse ⇒ Separation for special treament ⇒ Other Dismantling ⇒ Shredding

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Use the appropriate items and suppress the others.

Recommendation	Number on drawing	Components	Weight (g)	Comment
Special treatment	0	PCB	23	_
Other dismantling	2	Zamak	73	To optimize recycling
	3	Steel	11	

Schneider Electric Industries SAS

35, rue Joseph Monier CS30323

F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 896 313 776 € www.schneider-electric.com The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V1.

Publication : Schneider Electric