

Product End-of-Life Instructions – EoLI

Product overview

Product Range: NG125 circuit breaker

Marketing Model/Name: NG125 TETRA; NG125 TRI

Size: H x L x D in mm = 107 x 102 x 76

Weight in g = 1020 g and 1080 g

Purpose

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note:

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).

Operations recommended for the end of life treatment


There are several steps to process the products at the end of life so as to recover components, materials or energy :

Reuse → Separation for special treatment → Other dismantling → Shredding

CAUTION:

Product End-of-Life Instructions – EoLI

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (in g)	Comment
Depollution	1	Base	118g	Brominates flame retardants
	2	Upper frame	12g	Brominates flame retardants
	3	Middle frame	27g	Brominates flame retardants
	4	Lower frame	15g	Brominates flame retardants
	5	Push to trip	0.1g	Brominates flame retardants
	6	Signalling window	0.03g	Brominates flame retardants

EoLI achieved with Schneider-Electric TT03 V5 procedure

Schneider Electric Industries SAS

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com