


# Product End-of-Life Instructions

EASYLOGIC PM2K2AIAO



# Product End-of-Life Instructions – EoLI

## Product overview

**Product Range:** EasyLogic PM2K2AIAO I/O module

**Marketing Model/Name:** EASYLOGIC PM2K2AIAO and commercial ref. METSEPM2KANLGIO22.

**Size:** H x L x D in mm = 91 x 53 x 31

**Weight** in g = 107 g

## Purpose

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

## Note:

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).

## Operations recommended for the end of life treatment


There are several steps to process the products at the end of life so as to recover components, materials or energy :

**Reuse → Separation for special treatment → Other dismantling → Shredding**

## CAUTION:

## Product End-of-Life Instructions – EoLI

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



*In the following table, keep the relevant items and delete the other one*

Recommendation	Number on drawing	Components	Weight (in g)	Comment
<b>Depollution</b>				
1	EAV83729	I/O MODULE PCBA-PM2000-2AI/2AO	23.9	(1)
2	HUA40010	PTB PLUG 5.08 NA FMLE MCSCW 4 1X4 PR	18	(1)
<b>Shredding</b>				
1	EAV66353	MODULE COVER TOP	16.5	(2)
2	NHA11230	MODULE COVER BOTTOM	11	(2)

EoLI achieved with Schneider-Electric TT03 V5 procedure

### Schneider Electric Industries SAS

35, rue Joseph Monier  
CS 30323  
F- 92506 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)