# Product End of Life Instructions

**Rack Automatic Transfer Switch** 

Provides power redundancy for single-corded IT equipment





Schneider Electric


ENVEOLI1712015\_V1 04/2019



## Potential disassembly risks

No specific disassembly risks have been identified for this product

## **End of Life Instructions**



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Battery (Lithium metal coil coin)	3	1 x Li-metal coil coin battery
To be depolluted	2	Electronic Board > 10cm <sup>2</sup>	1192	5 x PCBAs
To be depolluted	3	External electric cable	2162	2 x Power Cables

## **Product description**

Manufacturer identification	Schneider Electric Industries SAS
Brand name	APC
Product function	The Rack Automatic Transfer Switch (ATS) provides reliable, redundant power to single-corded equipment. The Rack ATS has dual input power cords supplying power to the connected load. If the primary source becomes unavailable, the Rack ATS will seamlessly source power from the secondary source without interrupting critical loads. Networked units have built-in network connectivity, which allows for remote management via Web, SNMP, or Telnet interfaces.
Product reference	AP4453
Additional similar product references	AP44XX Series
Total representative product mass	6330 g
Representative product dimensions	88mm x 432mm x 236mm
Accessories	None
Date of information release	04/2019

ENVEOLI1712015\_V1 04/2019

## (I) Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	None		
Recyclability potential	55%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).	

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

CS 30323 F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

35, rue Joseph Monier

www.schneider-electric.com

Published by Schneider Electric
© 2018 - Schneider Electric - All rights reserved

ENVEOLI1712015\_V1 04/2019