



# Product End of Life Instructions

## Actassi iFlex 4 panels setup



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Other	1	Plastics	1982.26	
Other	2	Metals	5111.12	
To be depolluted	3	Electronic Board (Communication) > 10cm <sup>2</sup>	812.904	



## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Structured cabling IP network management with a dynamic labeling solution with basic management features: ID-Tracer Smart Patching Solution allows a explicit ID labelling and LED indication with dynamic colour management in real time monitoring"
Product reference	ACTDT217C32 + ACTPPFXSDTU (4) + ACTDT217SL (LAN dongle)
Additional similar product references	ACTDT217C32 ACTPPFXSDTU ACTDT217SL
Total representative product mass	12208.194
Representative product dimensions	49mm x 482.6mm x 255.73mm
Date of information release	04/2018



## Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	<b>33%</b> Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)

Published by Schneider Electric

ENVEOLI1801007\_V1

© 2017 - Schneider Electric – All rights reserved

04/2018