


Product End of Life Instructions

ServoDrive Lexium16D PT 1~220VAC 1500W

Easy Lexium 16



⚠️ Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


⚠️ WARNING

HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.

🔧 End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	93.56	PCBA
To be depolluted	2	Cable (low current)	6.91	Cable
To be depolluted	3	Electronic Board (Communication) > 10cm ²	181.74	PCBA
To be depolluted	4	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	173.82	Electrolyte capacitors
Other		Housing, Heatsink, etc	1043.97	Except of the above parts

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main function of the LXM18 servo drive product is the position, speed and torque control and variation of an AC brushless synchronous motor for industrial applications.
Product reference	LXM16DU15M2X
Additional similar product references	LXM16DU01M2X LXM16MU01M2X LXM16DU02M2X LXM16MU02M2X LXM16DU04M2X LXM16MU04M2X LXM16DU07M2X LXM16MU07M2X LXM16DU10M2X LXM16MU10M2X LXM16MU15M2X
Total representative product mass	1500 g
Representative product dimensions	150mm x 65mm x 185mm
Accessories	No
Date of information release	2023/10/19

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No special transportation.	
Recyclability potential	52%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI1806011_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

2023/10/19