


Product End of Life Instructions

Smart-UPS Li-Ion Replacement Battery Cartridge (RBC)






Potential disassembly risks

Caution: Batteries may contain an electrical charge - avoid creating a short across the terminals.
Caution: Cracked or bloated batteries may be hazardous and lead to exposure to dangerous materials.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Li-Ion Batteries	2416	4 x 8 = 32 Li-Ion battery cells See: Safety Data Sheet available at www.apc.com Use authorized battery recycler. Caution: Batteries may contain an electrical charge - avoid creating a short across the terminals. Caution: Cracked or bloated batteries may be hazardous and lead to exposure to dangerous materials.
To be depolluted	2	Electronic Board (Power) > 10cm ²	342	4 x Printed Circuit Boards (one for each Li-Ion battery emulator)



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	APC
Product function	The Li-Ion Replacement Battery Cartridge (RBC) is the replacement battery pack for the Smart-UPS series for servers, voice / data networks, medical labs, and light industrial applications.
Product reference	911-9017
Additional similar product references	911-9017 911-0018 911-0019 911-7010
Total representative product mass	3950 g
Representative product dimensions	151mm x 258mm x 100mm
Accessories	None
Date of information release	04/2019

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	The battery pack contains Li-Ion batteries that are regulated as Dangerous Goods shipping must be performed in accordance with the appropriate transportation regulations.
Recyclability potential	33% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved