
Circularity Profile

Grid Socket Connected Horiz Twin 10A 250V






🗥 Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1,2,3	Electronic Board (Communication) > 10cm ²	30.56	3 PCBA, Including all soldering parts

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Clipsal	
Product function	Socket grid connected Horizontal twin can be connected to a smart device allowing remote contro and time scheduling.	
Product reference	3025CSG	
Total representative product mass	145 g	
Representative product dimensions	116mm x 71mm x 43mm	
Accessories	No	
Date of information release	04/2020	

(1) Additional information

Legal information	and Elect legislation facilities.	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No			
Recyclability potential	35%	 Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). 		

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI2001007_V1

Published by Schneider Electric

© 2019 - Schneider Electric - All rights reserved

04/2020