

Product End of Life Instructions

Exiway Smartduo IP65 2 x 1200 lm



ENVEOLI2005003_V2 - End of Life Instructions - Exiway Smartduo IP65 2 x 1200 lm

Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Steel (Braket for battery)	57	
To be dismantled	2	Aluminium (Fixing braket for headlight)	20	
To be dismantled	3	PC (wall fixing plate)	10	
To be dismantled	4	ABS (headlight support)	15	
To be dismantled	5	Steel (screws)	2	
To be dismantled	6	Steel (screws)	2	
To be dismantled	7	Steel (screws)	0.8	
To be dismantled	8	PA (nut for cablegland)	10	
To be dismantled	9	TPU cablegland PG11)	10	
To be dismantled	10	TPU (cablegland)	10	
To be dismantled	11	PE (nut for cablegland)	20	
To be dismantled	12	PA (GEMMA TRASP.D5X13 C/OR ESSENTRA LEDC-2)	20	
To be dismantled	13	Steel (VITE TCE CB M5X35 INX)	2	
To be dismantled	14	Steel (VITE TCE CB M6X6 BRN)	2	
To be dismantled	15	PA (DADO AUTOBLOCC.M5 H5 INX)	20	
To be dismantled	16	PC (PORTALAMP.PANN.E10 RAFI)	105	
To be depolluted	17	Electronic Board (Communication) > 10cm ²	182	
To be dismantled	18	PC (Headlitght body)	200	
To be dismantled	19	PC (Luminairecover)	950	
To be dismantled	20	PC (Luminaire body)	1065	
To be depolluted	21	Electronic Board (Power) > 10cm ²	78	
To be dismantled	22	PA (PUSHBUTTON SWITCH)	10	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric Industries SAS
Product function	Non-maintained emergency luminaire (EN 60598-2-22). Luminaire in which the emergency lighting lamps are operate only when the supply to the normal lighting fails.
Product reference	OVA48060
Additional similar product references	OVA48020
Total representative product mass	2800 g
Representative product dimensions	400mm x 250mm x 168mm
Date of information release	03/2026

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	41% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI2005003_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

03/2026