


Product End of Life Instructions

EasyPact EZC630N circuit breaker, TMD, 600A ,3 poles 3d



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	BOUCHON	1.3	Plastic with brominated FR 17
To be depolluted	2	BIMETAL CAP C2 TMD	1.8	Plastic with brominated FR 17
To be depolluted	3	HAMMER C2 TMD	1.7	Plastic with brominated FR 17
To be depolluted	4	OVERMOLDED TU CONNECTION SCREW C2 TMD	4.7	Plastic with brominated FR 17

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	EasyPact EZC630N is a 3 poles fixed circuit breaker designed for the protection of low voltage electrical installations. The breaking capacity (Icu) is 36kA rms at 415VAC 50/60Hz. The operational voltage is 440VAC 50/60Hz or 250VDC. The rating of the thermal-magnetic trip unit is 600A. The trip unit provides fixed overload and instantaneous protections. This 3 poles version (140mm x 255mm x 110mm) comes with a variety of optional functions and accessories.
Product reference	EZC630N3600N
Total representative product mass	4800 g
Representative product dimensions	255mm x 110mm x 140mm
Date of information release	11/2022

Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	52% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

*Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323*

*F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €*

www.schneider-electric.com

ENVEOLI2211025_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

11/2022