


# Product End of Life Instructions

## SpaceLogic AS-P Controller



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm <sup>2</sup>	130	
To be dismantled	2	Heatsink	23	Aluminium
To be dismantled	3	Plastic parts	10	PC
To be dismantled	4	Plastic parts	79	ABS+PC

## Product description

<b>Manufacturer identification</b>	Schneider Electric Industries SAS
<b>Brand name</b>	Schneider Electric
<b>Product function</b>	The SpaceLogic AS-P Controller is a powerful device that can act as a standalone server, control I/O modules and also monitor and manage field bus devices. In a small installation, the embedded Automation Server acts as a stand-alone server, mounted on a rack together with its belonging I/O modules. In medium and large installations, functionality is distributed through multiple Automation Servers that communicate over TCP/IP.
<b>Product reference</b>	SXWASPXXX10001
<b>Additional similar product references</b>	AX-SSC RXASPNLRS0000 SXWASPSBX10001 SXWASPSBX10002 SXWASPSBX10A01 SXWASPSBX1S002 SXWASPXXX10002 SXWASPXXX10A01 SXWASPXXX1S001
<b>Total representative product mass</b>	243 g
<b>Representative product dimensions</b>	114 x 90 x 54 mm
<b>Date of information release</b>	2023/03/16

## Additional information

<p><b>Legal information</b></p>	<p>This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.</p>	
<p><b>Recyclability potential</b></p>	<p><b>17%</b></p>	<p>Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).</p>

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92500 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 896 313 776 €

[www.se.com](http://www.se.com)

ENVEOLI2211041\_V1

Published by Schneider Electric

© 2022 - Schneider Electric – All rights reserved

2023/03/16