


# Product End of Life Instructions


## Mureva EVLink socket

**Mureva EVLink socket, 16A, Pin Earth, surface, screw terminals, with lock, hook, cable gland, screws**





## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm <sup>2</sup>	21.32	

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Mureva EV link Socket is used to charge plug-in hybrid cars, electric vehicles, bicycles and scooters. It allows, for a typical car, a charging autonomy of 15 km/h on average and reinforced to withstand maximum current delivery over hours, when the installation allows it. Moreover, it enables frequently plugged-in and unplugged cables, permanent control over overheating and overcurrent, having an LED that displays the charging status as OFF, ON, AVAILABLE, or CHARGING. It is delivered with a convenient hook for hanging the controller and wire. It's able to manage and control energy through the Wiser gateway's connection to the Wiser Home App.
Product reference	MUR36015
Additional similar product references	MUR36014

Total representative product mass	524 g
Representative product dimensions	212 x 134.5 x 63
Accessories	No
Date of information release	05/2023

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No special transportation required	
Recyclability potential	10%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92500 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2304019\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

05/2023