


# Product End of Life Instructions

## Galaxy PW 2nd Gen 10-120 kVA 3:1 UPS



## ⚠️ Potential disassembly risks

### ⚠️ WARNING

#### HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

**Failure to follow these instructions can result in death or serious injury.**


### ⚠️ CAUTION

#### HAZARD OF PARTS WITH SHARP EDGES

Apply appropriate personal protective equipment (PPE) during disassembly.

**Failure to follow these instructions can result in injury.**

## 🔧 End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	LCD (surface > 100cm <sup>2</sup> ) and all those back-lighted with gas discharge lamps	308	1 x LCD >100 cm <sup>2</sup>
To be depolluted	2	Batteries	3	1 x coin battery
To be depolluted	3	Electrolyte capacitors which size: height >25 mm, diameter > 25 mm or proportionately similar volume	777.6	6 x large electrolyte capacitors
To be depolluted	4	Electronic Board > 10cm <sup>2</sup>	9419.7	19 x PCBAs > 10cm <sup>2</sup>

\*Not all batteries, capacitors and PCBAs are pictured here. Power batteries for the UPS system are in separate battery cabinet(s) not addressed by this document.



## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Galaxy PW 2nd Gen 10-200 kVA uninterruptible power supply (UPS) is transformer-based, with an efficiency-boosting DC bus ideal for industrial applications. Designed for oil and gas, power, transportation, manufacturing, light industrial applications, and more. It provides fast installation in electrical rooms, a wide operating temperature window, and robust overload protection, all in a footprint that's fit for industries.
Product reference	EPWUPS80KU6P
Additional similar product references	EPWUPS10KU6PT EPWUPS20KU6PT EPWUPS30KU6PT EPWUPS40KU12PT EPWUPS50KU12PT EPWUPS60KU12PT EPWUPS80KU12PT EPWUPS100KU12PT EPWUPS120KU12PT EPWUPS10KU6PTS EPWUPS20KU6PTS EPWUPS30KU6PTS EPWUPS40KU12PTS EPWUPS50KU12PTS EPWUPS60KU12PTS EPWUPS80KU12PTS EPWUPS100KU12PTS EPWUPS120KU12PTS EPWUPS10KU12PT EPWUPS20KU12PT EPWUPS30KU12PT EPWUPS10KU6P EPWUPS20KU6P EPWUPS30KU6P EPWUPS40KU6P EPWUPS60KU6P EPWUPS10KU12PTS EPWUPS20KU12PTS EPWUPS30KU12PTS EPWUPS10KU6PS EPWUPS20KU6PS EPWUPS30KU6PS EPWUPS40KU6PS EPWUPS60KU6PS EPWUPS80KU6PS
Total representative product mass	635 kg
Representative product dimensions	1800mm x 800mm x 800mm
Date of information release	07/2025



## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	<b>93%</b> The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439  
 Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2306002\_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

07/2025