
Product End of Life Instructions

Harmony XB4 Metal Key Selector Switch







ENVEOLI2308006_V1 10/2023

\triangle

Potential disassembly risks

A CAUTION


HAZARD OF PARTS WITH SHARP EDGES

Apply appropriate personal protective equipment (PPE) during disassembly.

Failure to follow these instructions can result in injury.

19

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Contact Cover, Housing, Pusher	5.178	Plasic Parts With FR
To be dismantled	2	Antiviral Index, Braking Screw Resin, Key Overmoulding	7.82	Plasic Parts Without FR
To be dismantled	3	Key,Lock Cylinder, Bezel, Spring	116.69	Metal Parts
Other		Liquid and pasty substances	0.312	Ink, Oil

ENVEOLI2308006_V1 10/2023

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	Selector switch can be rotated right, left or in the center in order to open or close the electrical contacts.	
Product reference	XB4BG21	
Total representative product mass	130 g	
Representative product dimensions	H46.5mm x L95mm x D30mm	
Accessories	No accessories needed	
Date of information release	10/2023	

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No specific means of transportation are required.		
Recyclability potential	88%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI2308006_V1

© 2023 - Schneider Electric - All rights reserved

10/2023

ENVEOLI2308006_V1 10/2023