



Product End of Life Instructions

Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC



Potential disassembly risks



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	440	30770mm ²
To be depolluted	2	Electronic Board (Communication) > 10cm ²	148	23521mm ²
To be depolluted	3	Electronic Board (Communication) > 10cm ²	9	1856mm ²
To be depolluted	4	External Cable	2733.65	with Charging gun, and dismantling by material types in Page 3

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider electric
Product function	EVH5A22N400F is designed to allow private persons to have a charging point dedicated to their electric vehicle. Charging mode is mode 3. It includes one or two types sockets, one modem and communication module etc. The elements used for connecting the station to the mains grid and to the monitoring and communication network are excluded.
Product reference	EVH5A22N400F
Total representative product mass	3190 g
Representative product dimensions	352mm x 244mm x 108mm
Accessories	Wall mount, Incoming assembly, Gasket, anti-theft screw, cable tie
Date of information release	2023/12/08

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
-------------------	--

In case of special transportation: transportation method	No	
Recyclability potential	14%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.se.com

Published by Schneider Electric

ENVEOLI2310034_V1

© 2023 - Schneider Electric – All rights reserved

2023/12/08