


Product End of Life Instructions

APC Smart-UPS Ultra On-Line, Lithium-ion



Potential disassembly risks


WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board > 10cm ²	4628	7 X PCBAs >10cm ²
To be depolluted	2	Cable (high current)	1200	1 X External cable
To be depolluted	3	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	48	8 X Large electrolyte capacitors
To be depolluted	4	Batteries	1500	Lithium-ion battery



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	APC by Schneider Electric
Product function	This APC Smart-UPS Ultra On-Line, Lithium-ion Uninterruptible Power Supply is designed for IT professionals or network administrators to maintain business uptime and continuity. This Smart-UPS offers cloud-based remote power monitoring, UPS firmware upgrades, remote diagnostics and proactive email notifications with recommended actions. The UPS can connect to EcoStruxure IT or third-party centralized management platforms
Product reference	SRTL3KRM1UC
Total representative product mass	18600 g
Representative product dimensions	43mm x 432mm x 560mm
Accessories	No
Date of information release	2023/11/13



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	53%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.se.com

ENVEOLI2311011_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

2023/11/13