


# Product End of Life Instructions

## SpaceLogic HMI Advanced Display V3



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	LCD and Touch Panel Modules	351	Including a number of wires
To be depolluted	2	Printed Circuit Board Assy	199	Including three smaller PCBs
To be depolluted	3	Battery	1,2	LiMnO
To be dismantled	4	Heat Sinks	120	Aluminium
To be dismantled	5	Enclosure/Plastics	318,7	ABS+PC
To be dismantled	6	Screws and others	10,6	Steel and Brass

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Scheider Electric
Product function	<p>SpaceLogic HMI Advanced Display V3 is an industrial grade Human Machine Interface (HMI) that can be locked to an application such as EcoStruxure Building Operation WebStation to create a tool for local operation of an ecostruxure BMS. It provides an interface through which users can locally access EcoStruxure BMS servers from a 10.1" HMI terminal installed on a control cabinet during 10 years.</p> <p>(This document describes the different stages of the product, from manufacturing to its end of life, for example the manufacturing stage includes the production and transportation of the product and its packaging through the entire process and to the last logistics platform. This product is assembled in Taoyung City, Taiwan and is distributed globally. For its end of life optimization, any dismantling or separation of parts required is carried out as mentioned in the document and in accordance with EU regulations, viz. WEEE)</p>
Product reference	SXWADBUND10013
Total representative product mass	982 g
Representative product dimensions	195.6 x 258 x 25
Date of information release	2024-09

## Additional information

### Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

### Recyclability potential

**13%**

Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2402002\_V1

Published by Schneider Electric

© 2024 - Schneider Electric – All rights reserved

2024-09