

Product End of Life Instructions


TransferPacT Active Automatic 1600A 400V 4P LCD Frame

TransferPacT ATSE





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	223	including all soldering parts
To be depolluted	2	Electronic Board (Communication) > 10cm ²	34	including all soldering parts



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	TransferPacT Active Automatic 1600A is automatic transfer switching equipment (ATSE) which to be used in power systems for transferring a load supply between a normal and an alternate source with a supply interruption during transfer.
Product reference	TA1AD4L16H4TPE
Additional similar product references	TA1AD3L10H4TPE TA1AD3L12H4TPE TA1AD3L16H4TPE TA1AD3L8004TPE TA1AD4L10H4TPE TA1AD4L12H4TPE TA1AD4L16H4TPE TA1AD4L8004TPE TPSAUX71 TPSAUX72 TPSISO70 TPSOTH73 TW1AD3L10H4TPG TW1AD3L12H4TPG TW1AD3L16H4TPG TW1AD3L8004TPG TW1AD4L10H4TPG TW1AD4L12H4TPG TW1AD4L16H4TPG TW1AD4L8004TPG TWSAUX71 TWSAUX72 TWSISO70 TWSOTH73
Total representative product mass	73500 g
Representative product dimensions	322mm x 288mm x 277mm
Accessories	No
Date of information release	5/1/2024



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	50%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2405015_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

2026-03