


Product End of Life Instructions

MicroLogic 6.0X control unit, MasterPact MTZ

Representative of all MasterPact MTZ Control Units



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Battery	9,6	LI/SOCL2 1/2AA 3.6V 900mAh
To be depolluted	2	Electronic Board (Communication) > 10cm ²	14,41	LCD Display
To be depolluted	3	Electronic Board (Communication) > 10cm ²	84,8	PCBAs

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	<p>MasterPact MTZ circuit breakers are designed to guarantee the protection of a low voltage electrical distribution system (industrial) with assigned voltage up to 690V AC and rated current up to 6300A. This protection is ensured thanks to the monitoring, control and action of the MicroLogic control units.</p> <p>The MicroLogic 6.0X control unit is a LSIG protection type control unit that offers 4 basic protection functions and some advanced protections:</p> <ul style="list-style-type: none"> * L = long time protection against overloads * S = short time protection against short-circuits * I = instantaneous protection against short-circuits * G = ground fault protection * Additional measurement = power
Product reference	LV847603
Additional similar product references	LV847603 LV847280 LV847280SP LV847280WW LV847281 LV847281WW LV847283 LV847283WW LV847284 LV847284WW LV847287 LV847287WW LV847288 LV847288WW LV847292 LV847292WW LV847600 LV847600FS LV847602 LV847602FS LV847603FS LV847604 LV847604FS LV847608 LV847608FS LV847609 LV847609FS LV848362 LV848362WW LV848498 LV848498WW LV848499
Total representative product mass	292 g
Representative product dimensions	220mm x 60mm x 100mm
Accessories	No
Date of information release	09-2024

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	4% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI2408038_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

09-2024