



Product End of Life Instructions

SpaceLogic RP-C-EXT-DALI-M-PD module





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	241,7	PCBA
To be dismantled	2	Plastics	171	PPE+PS FR
To be dismantled	3	Plastics	6	PC+ABS FR
To be dismantled	4	Plastics	4	PC



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric Industries SAS
Product function	<p>The SpaceLogic RP-C-EXT-DALI-M-PD module connects to the RP controller and provides I/O expansion and power supply for lighting control with DALI (Digital Addressable Lighting Interface). The DALI light module enables power supply and control of lights equipped with DALI ballasts (DALI control gear). The DALI light module is a DALI-2 certified control device (application controller). This module is part of the RP Series expansion modules for connected room solution and can be combined with the other modules in the RP series.</p> <p>(This document describes the different stages of the product, from manufacturing to its end of life, for example the manufacturing stage includes the production and transportation of the product and its packaging through the entire process and to the last logistics platform. This product is assembled in Timisoara, Romania and distributed globally. For its end of life optimization, any dismantling or separation of parts required is carried out as mentioned in the document and in accordance with EU regulations, viz. WEEE.)</p>
Product reference	SXWREDAMPD10001
Total representative product mass	428 g
Representative product dimensions	198mm x 110mm x 64mm
Accessories	No
Date of information release	12-2024

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	2% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.se.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI2412004

© 2023 - Schneider Electric – All rights reserved

12-2024