


# Product End of Life Instructions

## SpaceLogic MP-C-18B Controller



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm <sup>2</sup>	208,1	Including connectors
To be depolluted	2	Electrolytic capacitors	17,8	Including 3 capacitors, with estimated dimensions(length) 13-25mm provided by supplier.
To be dismantled	3	Plastics	157,1	PC

## Product description

<b>Manufacturer identification</b>	Schneider Electric Industries SAS
<b>Brand name</b>	Schneider Electric
<b>Product function</b>	The SpaceLogic MP-C Controller is a flexible, multi-purpose controller applicable for HVAC system management, ideally in a plant room environment. With its variety of I/O point types it is suitable for various HVAC applications in the system. It is fully programmable, IP based and it can operate as stand-alone controller or be a part of the EcoStruxure Building Management System.
<b>Product reference</b>	SXWMPC18B10001
<b>Additional similar product references</b>	SXWMPC18B10001 SXWIPIOAA10A01 SXWIPIOAA1S001 SXWIPIOBA10001 SXWIPIOBA10A01 SXWIPIOBA1S001 SXWIPIOCA10001 SXWIPIOCA10A01 SXWIPIOCA1S001 SXWMPC15A10001 SXWMPC15A10A01 SXWMPC15A1N001 SXWMPC15A1S001 SXWMPC18A10001 SXWMPC18A10A01 SXWMPC18A1N001 SXWMPC18A1S001 SXWMPC18B10A01 SXWMPC18B1N001 SXWMPC18B1S001 SXWIPIOAA10001
<b>Total representative product mass</b>	367 g
<b>Representative product dimensions</b>	110 x 153 x 64 mm
<b>Accessories</b>	No
<b>Date of information release</b>	11-2025

## Additional information

### Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

### Recyclability potential

**0%** The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.se.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92500 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2503042

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

11-2025