

# Product End of Life Instructions

## Classic Battery Cabinet, IEC, 1000mm wide, Config A2, Galaxy



## Potential disassembly risks

batteries < 42.4 V  
(ProQ94)  
Capacitors are not  
considered **refer to  
some examples s  
they are assumed  
as having no risk**


### WARNING

#### HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

**Failure to follow these instructions can result in death or serious injury.**

## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Batteries	1000000	Lead Acid Battery
Other	2	Breaker	10000	Battery Breaker

## Product description

Manufacturer identification Schneider Electric Industries SAS

Brand name	Schneider Electric
Product function	Primary function of the product is to provide extended runtime and energy storage for these UPS systems by housing additional batteries. It ensures backup power availability during outages.
Product reference	GVSCBC10A2
Additional similar product references	GVSCBC10B2 GVSCBC7A GVSCBC7B GVSCBC7C GVSCBC7D GVSCBC7E E3MCBC10A E3MCBC10B E3MCBC10C E3MCBC10D E3MCBC10E E3MCBC7C E3MCBC7D GVSCBC10A2
Total representative product mass	1200000 g
Representative product dimensions	1010X845X1900
Accessories	NA
Date of information release	2025-11

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	NA
Recyclability potential	<b>88%</b> The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.se.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92500 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2509002\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

45972