


Product End of Life Instructions

SpaceLogic Twisted Pair Adapter - Ethernet





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Printed Circuit Board Assy	44,68	Including 2 connectors
To be dismantled	2	Plastic parts (Cover+Base)	47,09	PC
To be dismantled	3	Plastic parts (Placard)	0,26	PC sheet
To be dismantled	4	Plastic parts (Din rail clip)	2,14	PC

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The SpaceLogic Twisted Pair Adapter-Ethernet enables seamless integration of IP based controllers and automation servers via Ethernet 10/100 Mbit (IEEE 802.3), over twisted pair cable network or other similar 2-wire cable networks. It allows reuse of existing cables, facilitates retrofitting and transition from old serial and free topology based controllers to modern IP (Ethernet)-based controllers on the same wire. The design supports up to 64 nodes (adapters) per twisted pair cable or other 2-wire cable; and allows extended cable lengths of up to 1200 m.
Product reference	SXWTPAE10001
Total representative product mass	97,27 g
Representative product dimensions	110mm x 27mm x 64mm
Date of information release	10-2025

Additional information

<p>Legal information</p>	<p>This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.</p>
<p>Recyclability potential</p>	<p>0% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).</p>

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI2509039_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

10-2025