

Product Environmental Profile

SpaceLogic HMI Advanced Display V3






General information

Reference product	SpaceLogic HMI Advanced Display V3 - SXWADBUND10013
Description of the product	SpaceLogic HMI Advanced Display V3 is an industrial grade Human Machine Interface (HMI) that can be locked to an application such as EcoStruxure Building Operation WebStation to create a tool for local operation of an ecostruxure BMS. It provides an interface through which users can locally access EcoStruxure BMS servers from a 10.1" HMI terminal installed on a control cabinet during 10 years. (This document describes the different stages of the product, from manufacturing to its end of life, for example the manufacturing stage includes the production and transportation of the product and its packaging through the entire process and to the last logistics platform. This product is assembled in Taoyung City, Taiwan and is distributed globally. For its end of life optimization, any dismantling or separation of parts required is carried out as mentioned in the document and in accordance with EU regulations, viz. WEEE)
Description of the range	Single product
Functional unit	Other switchgear and controlgear solutions mentioned in the scope (e.g. fuses TC32, all-or-nothing relays TC94, Measuring relays and protection equipment TC95), apply the general rules of PCR and mention in the accompanying report the functional unit, the reference product characteristics, the reference lifetime and the use scenario which are applied consistently with the relevant IEC technical standards.
Specifications are:	The SpaceLogic HMI Advanced Display V3 can provide an interface through which users can locally access EcoStruxure BMS servers from a 10.1" HMI terminal. The use scenario is estimated to be 55% in active mode, 35% in standby mode, 5% in sleep mode and %5 in off mode, with a maximum power consumption of 16.44 W and a reference service life of 10 years.



Constituent materials

Reference product mass 1426 g including the product, its packaging and additional elements and accessories



Plastics	27,4%
Metals	9%
Others	63,6%



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website

<https://www.se.com/ww/en/work/support/green-premium/>

Additional environmental information

End Of Life	Recyclability potential:	13%	The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.
--------------------	--------------------------	------------	---

Environmental impacts

Reference service life time	10 years			
Product category	Other equipments - Active product			
Installation elements	The product does not require any installation operations.			
Use scenario	See PSR			
Time representativeness	The collected data are representative of the year 2024			
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product.			
Geographical representativeness	Rest of the World			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; High voltage; 2018; Taiwan, TW	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; United Kingdom, GB Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC Brazil, BR	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; United Kingdom, GB Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC Brazil, BR	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; United Kingdom, GB Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC Brazil, BR

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators		SpaceLogic HMI Advanced Display V3 - SXWADBUND10013							
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads	
Contribution to climate change	kg CO2 eq	5,38E+02	6,42E+01	7,55E-01	2,85E-01	4,70E+02	2,85E+00	-1,73E+00	
Contribution to climate change-fossil	kg CO2 eq	5,37E+02	6,40E+01	7,55E-01	2,74E-01	4,69E+02	2,85E+00	-1,68E+00	
Contribution to climate change-biogenic	kg CO2 eq	7,73E-01	2,25E-01	0*	1,10E-02	5,37E-01	0*	-4,91E-02	
Contribution to climate change-land use and land use change	kg CO2 eq	5,63E-07	5,63E-07	0*	0*	0*	0*	0,00E+00	
Contribution to ozone depletion	kg CFC-11 eq	9,65E-06	7,64E-06	1,16E-09	0*	2,00E-06	5,88E-09	-2,33E-07	
Contribution to acidification	mol H+ eq	3,17E+00	4,47E-01	4,78E-03	0*	2,72E+00	2,29E-03	-1,11E-02	
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	1,21E-03	1,57E-04	2,83E-07	0*	1,04E-03	1,32E-05	-6,39E-06	
Contribution to eutrophication marine	kg N eq	3,62E-01	5,15E-02	2,24E-03	9,91E-05	3,07E-01	1,03E-03	-9,37E-04	
Contribution to eutrophication, terrestrial	mol N eq	5,18E+00	5,44E-01	2,46E-02	1,09E-03	4,60E+00	1,07E-02	-1,03E-02	
Contribution to photochemical ozone formation - human health	kg COVNM eq	1,17E+00	1,75E-01	6,20E-03	2,47E-04	9,85E-01	2,67E-03	-3,43E-03	
Contribution to resource use, minerals and metals	kg Sb eq	6,16E-03	6,13E-03	0*	0*	3,01E-05	0*	-1,92E-05	
Contribution to resource use, fossils	MJ	1,19E+04	8,12E+02	1,05E+01	0*	1,11E+04	7,78E+00	-2,33E+01	
Contribution to water use	m3 eq	3,56E+01	1,91E+01	0*	5,71E-02	1,63E+01	1,22E-01	-3,34E-01	

Inventory flows Indicators		SpaceLogic HMI Advanced Display V3 - SXWADBUND10013						
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,28E+03	2,32E+01	0*	0*	2,26E+03	0*	-1,06E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	8,60E+00	8,60E+00	0*	0*	0*	0*	0,00E+00
Contribution to total use of renewable primary energy resources	MJ	2,29E+03	3,18E+01	0*	0*	2,26E+03	0*	-1,06E+00
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1,19E+04	7,90E+02	1,05E+01	0*	1,11E+04	7,78E+00	-2,33E+01
Contribution to use of non renewable primary energy resources used as raw material	MJ	2,26E+01	2,26E+01	0*	0*	0*	0*	0,00E+00
Contribution to total use of non-renewable primary energy resources	MJ	1,19E+04	8,12E+02	1,05E+01	0*	1,11E+04	7,78E+00	-2,33E+01
Contribution to use of secondary material	kg	3,11E-05	3,11E-05	0*	0*	0*	0*	0,00E+00
Contribution to use of renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to use of non renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to net use of freshwater	m³	8,29E-01	4,44E-01	0*	1,33E-03	3,81E-01	2,84E-03	-7,78E-03
Contribution to hazardous waste disposed	kg	1,14E+02	1,04E+02	0*	0*	9,14E+00	5,53E-01	-1,62E+00
Contribution to non hazardous waste disposed	kg	9,50E+01	2,76E+01	2,65E-02	4,56E-01	6,65E+01	4,04E-01	-2,83E+00
Contribution to radioactive waste disposed	kg	2,13E-02	9,20E-03	1,89E-05	3,22E-06	1,20E-02	2,00E-05	-2,23E-03
Contribution to components for reuse	kg	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to materials for recycling	kg	1,53E-01	1,99E-02	0*	0*	0*	1,33E-01	0,00E+00
Contribution to materials for energy recovery	kg	5,84E-10	5,84E-10	0*	0*	0*	0*	0,00E+00
Contribution to exported energy	MJ	1,54E-03	2,23E-04	0*	0*	0*	1,31E-03	0,00E+00

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product	kg of C	0,00E+00
Contribution to biogenic carbon content of the associated packaging	kg of C	1,06E-01

* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Mandatory Indicators		SpaceLogic HMI Advanced Display V3 - SXWADBUND10013							
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	4,70E+02	0*	0*	0*	0*	0*	4,70E+02	0*
Contribution to climate change-fossil	kg CO2 eq	4,69E+02	0*	0*	0*	0*	0*	4,69E+02	0*
Contribution to climate change-biogenic	kg CO2 eq	5,37E-01	0*	0*	0*	0*	0*	5,37E-01	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	2,00E-06	0*	0*	0*	0*	0*	2,00E-06	0*
Contribution to acidification	mol H+ eq	2,72E+00	0*	0*	0*	0*	0*	2,72E+00	0*
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	1,04E-03	0*	0*	0*	0*	0*	1,04E-03	0*
Contribution to eutrophication marine	kg N eq	3,07E-01	0*	0*	0*	0*	0*	3,07E-01	0*
Contribution to eutrophication, terrestrial	mol N eq	4,60E+00	0*	0*	0*	0*	0*	4,60E+00	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	9,85E-01	0*	0*	0*	0*	0*	9,85E-01	0*
Contribution to resource use, minerals and metals	kg Sb eq	3,01E-05	0*	0*	0*	0*	0*	3,01E-05	0*
Contribution to resource use, fossils	MJ	1,11E+04	0*	0*	0*	0*	0*	1,11E+04	0*
Contribution to water use	m3 eq	1,63E+01	0*	0*	0*	0*	0*	1,63E+01	0*

Inventory flows Indicators		SpaceLogic HMI Advanced Display V3 - SXWADBUND10013							
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,26E+03	0*	0*	0*	0*	0*	2,26E+03	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	2,26E+03	0*	0*	0*	0*	0*	2,26E+03	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1,11E+04	0*	0*	0*	0*	0*	1,11E+04	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	1,11E+04	0*	0*	0*	0*	0*	1,11E+04	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	3,81E-01	0*	0*	0*	0*	0*	3,81E-01	0*
Contribution to hazardous waste disposed	kg	9,14E+00	0*	0*	0*	0*	0*	9,14E+00	0*
Contribution to non hazardous waste disposed	kg	6,65E+01	0*	0*	0*	0*	0*	6,65E+01	0*
Contribution to radioactive waste disposed	kg	1,20E-02	0*	0*	0*	0*	0*	1,20E-02	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2, database version 2024-04 in compliance with ISO14044, EF 3.1 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01149-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08
Verifier accreditation N°	VH45	Information and reference documents	www.pep-ecopassport.org
Date of issue	09-2024	Validity period	5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006			
Internal External X			
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022			
The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"			



Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

SCHN-01149-V01.01-EN

©2024 - Schneider Electric – All rights reserved

09-2024