


Product Environmental Profile

Harmony ø30mm Emergency Stop Non Illuminated Body




General information

| | |
|----------------------------|---|
| Reference product | Harmony ø30mm Emergency Stop Non Illuminated Body - 9001KES18RES2 |
| Description of the product | This product is a subset of an emergency stop pushbutton without head which is used to immediately stop the any dangerous movements or processes without creating further hazards to persons that can arise from machinery when it cannot be shut down in the usual manner. |
| Description of the range | Single product |
| Functional unit | This subset can be easily installed into a standard 30mm diameter cut-outs and connected with simple screw-clamp connections. It is clearly distinguishable visually at a distance with it's clear color when it configuated with head. It is an impact resistant, dust resistant, water resistant and vibration resistant which making it ideal for operation in harsh environments. Impact and corrosion resistant metal bezel and body ensures product continues to operate even after severe accidents. Product is adhering to the standards IEC 60947-5-1, IEC 60947-5-5, UL 60947-5-5 |
| Specifications are: | Contact Block : 2 NC Ambient air temperature for storage : -40-70 °C Ambient air temperature for operation : -25-70 °C Product certifications : UL, CSA, CE |

Constituent materials

Reference product mass 111.5 g including the product, its packaging, additional elements and accessories



| | |
|----------|-------|
| Plastics | 30.8% |
| Metals | 49.6% |
| Others | 19.6% |

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website

<https://www.se.com>



Additional environmental information

| | | | |
|-------------|--------------------------|-----|---|
| End Of Life | Recyclability potential: | 60% | The recyclability rate was calculated from the recycling rates of each material making up the product based on REECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). |
|-------------|--------------------------|-----|---|



Environmental impacts

| | | | | |
|----------------------------------|---|----------------|---|--|
| Reference service life time | 10 years | | | |
| Product category | Other equipments - Active product | | | |
| Life cycle of the product | The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study | | | |
| Electricity consumption | The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption | | | |
| Installation elements | The product does not require any installation operations | | | |
| Use scenario | The product is in active mode 71% of the time with a power use of 0.004 W and in off mode 29% of the time with a power use of 0 W for 10 years when it is fully configured with head. | | | |
| Time representativeness | The collected data are representative of the year 2025 | | | |
| Technological representativeness | The Modules of technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are similar and representative of the actual type of technologies used to make the product. | | | |
| Geographical representativeness | Final assembly site | Use phase | | End-of-life |
| | Monterrey, Mexico | US | | US |
| Energy model used | [A1 - A3] | [A5] | [B6] | [C1 - C4] |
| | Electricity Mix; High voltage; 2020; Mexico, MX | No energy used | Electricity Mix; Low voltage; 2020; United States, US | Global, European and French datasets are used. |

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.se.com/contact>

| Mandatory Indicators | | Harmony ø30mm Emergency Stop Non Illuminated Body - 9001KES18RES2 | | | | | | |
|--|--------------|---|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Impact indicators | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to climate change | kg CO2 eq | 1.02E+00 | 5.84E-01 | 6.06E-02 | 8.46E-04 | 1.20E-01 | 2.53E-01 | -2.50E-01 |
| Contribution to climate change-fossil | kg CO2 eq | 1.06E+00 | 6.29E-01 | 6.06E-02 | 8.47E-04 | 1.19E-01 | 2.53E-01 | -2.49E-01 |
| Contribution to climate change-biogenic | kg CO2 eq | -4.43E-02 | -4.49E-02 | 0* | 0* | 0* | 0* | -5.83E-04 |
| Contribution to climate change-land use and land use change | kg CO2 eq | 3.43E-09 | 3.43E-09 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to ozone depletion | kg CFC-11 eq | 1.69E-07 | 1.15E-07 | 5.36E-08 | 3.45E-11 | 4.63E-10 | 1.09E-10 | -6.71E-08 |
| Contribution to acidification | mol H+ eq | 5.27E-03 | 3.80E-03 | 2.67E-04 | 1.17E-05 | 5.45E-04 | 6.45E-04 | -1.38E-03 |
| Contribution to eutrophication, freshwater | kg P eq | 1.19E-05 | 1.16E-05 | 7.11E-09 | 4.30E-09 | 1.98E-07 | 1.53E-07 | -6.69E-07 |
| Contribution to eutrophication, marine | kg N eq | 9.88E-04 | 6.41E-04 | 1.23E-04 | 5.53E-06 | 6.87E-05 | 1.50E-04 | -1.38E-04 |
| Contribution to eutrophication, terrestrial | mol N eq | 1.06E-02 | 6.77E-03 | 1.33E-03 | 5.63E-05 | 8.11E-04 | 1.66E-03 | -1.56E-03 |
| Contribution to photochemical ozone formation - human health | kg CO2NM eq | 3.38E-03 | 2.18E-03 | 4.35E-04 | 1.35E-05 | 2.27E-04 | 5.29E-04 | -5.87E-04 |
| Contribution to resource use, minerals and metals | kg Sb eq | 2.17E-04 | 2.17E-04 | 0* | 0* | 0* | 0* | -4.72E-05 |
| Contribution to resource use, fossils | MJ | 2.69E+01 | 1.16E+01 | 7.55E-01 | 9.95E-03 | 2.60E+00 | 1.20E+01 | -4.05E+00 |
| Contribution to water use | m3 eq | 3.66E-01 | 2.87E-01 | 3.08E-03 | 2.06E-03 | 6.01E-03 | 6.83E-02 | -1.11E-01 |

ENVPEP2503026_V1 - Product Environmental Profile - Harmony ø30mm Emergency Stop Non Illuminated Body

| Inventory flows Indicators | | Harmony ø30mm Emergency Stop Non Illuminated Body - 9001KES18RES2 | | | | | | |
|---|------|---|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Inventory flows | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to renewable primary energy used as energy | MJ | 1.25E+00 | 9.36E-01 | 0* | 0* | 3.17E-01 | 7.96E-04 | -2.92E-02 |
| Contribution to renewable primary energy used as raw material | MJ | 1.44E-01 | 1.44E-01 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total renewable primary energy | MJ | 1.40E+00 | 1.08E+00 | 0* | 0* | 3.17E-01 | 7.96E-04 | -2.92E-02 |
| Contribution to non renewable primary energy used as energy | MJ | 2.60E+01 | 1.07E+01 | 7.55E-01 | 9.95E-03 | 2.60E+00 | 1.20E+01 | -4.05E+00 |
| Contribution to non renewable primary energy used as raw material | MJ | 8.62E-01 | 8.62E-01 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total non renewable primary energy | MJ | 2.69E+01 | 1.16E+01 | 7.55E-01 | 9.95E-03 | 2.60E+00 | 1.20E+01 | -4.05E+00 |
| Contribution to use of secondary material | kg | 1.68E-02 | 1.68E-02 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of non renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to net use of fresh water | m³ | 8.52E-03 | 6.67E-03 | 7.17E-05 | 4.79E-05 | 1.40E-04 | 1.59E-03 | -2.57E-03 |
| Contribution to hazardous waste disposed | kg | 2.91E+00 | 2.91E+00 | 0* | 0* | 2.24E-03 | 0* | -3.55E+00 |
| Contribution to non hazardous waste disposed | kg | 6.88E-01 | 6.08E-01 | 0* | 2.25E-02 | 1.77E-02 | 3.98E-02 | -1.17E-01 |
| Contribution to radioactive waste disposed | kg | 1.18E-04 | 9.99E-05 | 1.21E-05 | 1.82E-08 | 4.19E-06 | 1.76E-06 | -5.44E-05 |
| Contribution to components for reuse | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to materials for recycling | kg | 6.28E-02 | 6.95E-03 | 0* | 0* | 0* | 5.58E-02 | 0.00E+00 |
| Contribution to materials for energy recovery | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to exported energy | MJ | 6.23E-04 | 7.08E-05 | 0* | 0* | 0* | 5.52E-04 | 0.00E+00 |

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 6.78E-03

* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

| Mandatory Indicators | | Harmony ø30mm Emergency Stop Non Illuminated Body - 9001KES18RES2 | | | | | | | |
|--|--------------|---|------|------|------|------|------|----------|------|
| Impact indicators | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to climate change | kg CO2 eq | 1.20E-01 | 0* | 0* | 0* | 0* | 0* | 1.20E-01 | 0* |
| Contribution to climate change-fossil | kg CO2 eq | 1.19E-01 | 0* | 0* | 0* | 0* | 0* | 1.19E-01 | 0* |
| Contribution to climate change-biogenic | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to ozone depletion | kg CFC-11 eq | 4.63E-10 | 0* | 0* | 0* | 0* | 0* | 4.63E-10 | 0* |
| Contribution to acidification | mol H+ eq | 5.45E-04 | 0* | 0* | 0* | 0* | 0* | 5.45E-04 | 0* |
| Contribution to eutrophication, freshwater | kg P eq | 1.98E-07 | 0* | 0* | 0* | 0* | 0* | 1.98E-07 | 0* |
| Contribution to eutrophication marine | kg N eq | 6.87E-05 | 0* | 0* | 0* | 0* | 0* | 6.87E-05 | 0* |
| Contribution to eutrophication, terrestrial | mol N eq | 8.11E-04 | 0* | 0* | 0* | 0* | 0* | 8.11E-04 | 0* |
| Contribution to photochemical ozone formation - human health | kg CO2NM eq | 2.27E-04 | 0* | 0* | 0* | 0* | 0* | 2.27E-04 | 0* |
| Contribution to resource use, minerals and metals | kg Sb eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to resource use, fossils | MJ | 2.60E+00 | 0* | 0* | 0* | 0* | 0* | 2.60E+00 | 0* |
| Contribution to water use | m3 eq | 6.01E-03 | 0* | 0* | 0* | 0* | 0* | 6.01E-03 | 0* |

| Inventory flows Indicators | | Harmony ø30mm Emergency Stop Non Illuminated Body - 9001KES18RES2 | | | | | | | |
|---|------|---|------|------|------|------|------|----------|------|
| Inventory flows | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 3.17E-01 | 0* | 0* | 0* | 0* | 0* | 3.17E-01 | 0* |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of renewable primary energy resources | MJ | 3.17E-01 | 0* | 0* | 0* | 0* | 0* | 3.17E-01 | 0* |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material | MJ | 2.60E+00 | 0* | 0* | 0* | 0* | 0* | 2.60E+00 | 0* |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of non-renewable primary energy resources | MJ | 2.60E+00 | 0* | 0* | 0* | 0* | 0* | 2.60E+00 | 0* |
| Contribution to use of secondary material | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of non renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to net use of freshwater | m³ | 1.40E-04 | 0* | 0* | 0* | 0* | 0* | 1.40E-04 | 0* |
| Contribution to hazardous waste disposed | kg | 2.24E-03 | 0* | 0* | 0* | 0* | 0* | 2.24E-03 | 0* |
| Contribution to non hazardous waste disposed | kg | 1.77E-02 | 0* | 0* | 0* | 0* | 0* | 1.77E-02 | 0* |
| Contribution to radioactive waste disposed | kg | 4.19E-06 | 0* | 0* | 0* | 0* | 0* | 4.19E-06 | 0* |
| Contribution to components for reuse | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for recycling | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for energy recovery | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to exported energy | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.4, database version 2024-01 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

| | | | |
|---|------------------|-------------------------------------|--|
| Registration number : | ENVPEP2503026_V1 | Drafting rules | PEP-PCR-ed4-2021 09 06 |
| Date of issue | 03-2025 | Supplemented by | PSR-0005-ed3-2023 06 06 |
| | | Information and reference documents | www.pep-ecopassport.org |
| | | Validity period | 5 years |
| Independent verification of the declaration and data, in compliance with ISO 14021 : 2016 | | | |
| Internal | X | External | |
| The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain) | | | |
| PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022 | | | |
| The components of the present PEP may not be compared with components from any other program. | | | |
| Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations" | | | |

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

Head Office
 35, rue Joseph Monier

CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2503026_V1

©2024 - Schneider Electric – All rights reserved

03-2025