



Specialty Chemicals

Easy Reference Architecture Guide

se.com

Life Is On

Schneider
Electric

Objective

The purpose of this document is to provide architectural guidance for the design and implementation of electrical distribution system for specialty chemicals with focus on fit-for-purpose solution using Schneider Electric's cost-optimized range of products.

Target Audience

This reference architecture guide is intended for Contractors and Panel Builders who are responsible for specialty chemicals projects.

Typical Characteristics of Specialty Chemicals

Building configuration

- The facility is designed for 3.2 MVA installed power capacity

Network configuration

- RMU
- 2 Nos. of MV/LV transformer of 1600 kVA
- Main LV switchgear

Alternative power supplies

- A genset is proposed as back-up power source
- UPS is proposed to maintain critical loads supply

Optimized Performance by Fit-for-Purpose Design

Electrical Network

The specialty chemicals electrical distribution system is designed to receive electrical power through local distribution utility. The power system architecture of specialty chemicals uses two 1600 kVA transformers feeding various subsystems such as building facility and process loads. Emergency diesel generators are provided to feed the essential loads during loss of utility power. For services where no power interruption is permitted, such as CCTV, voice alarm, and control system, usage of UPS is recommended.

Digitalization

With the Agile approach of 'just enough design', the selection of cost-conscious digital metering (EasyLogic PM2000 series for incomers and PM1000H series for major loads) together with simple, bundled power monitoring system (EcoStruxure Power Monitoring Expert – Express Edition) to form the foundation of an energy management infrastructure that is scalable, expandable and future-ready. Additionally, with the concept of easy to deploy, easy to use and easy to maintain, this basic but powerful energy and power monitoring system: drives energy usage awareness by turning metering data into actionable information; presents energy usage and consumption through easy-to-interpret graphical dashboards and reports that help kick off the sustainability journey; and identify areas of abnormal power consumption and highlight possible areas of improvement in order to reach energy efficiency and conservation goals. Optionally, it is cloud-ready for EcoStruxure Facility Expert SaaS.

Electrical Distribution and Digital Architectures and System

Edge Control Software

EcoStruxure
Power Monitoring Expert
Express Edition



Cloud-based Software and App



EcoStruxure
Facility Expert



Electrical and Digital Architecture

Specialty Chemicals description

3.2 MVA installed power capacity



MV Switchgear



Minera MV/LV Transformer



EasyPact MVS ACB



EasyPact CVS MCCB



Easy UPS 1 Ph & 3 Ph



Easy TeSys Power



Easy TeSys Protect



Easy TeSys Control

Equipment (Green circle)

Connected devices (Blue circle)



Surge Arrester



EasyLogic PFC Capacitor



Easy9



Wiring Devices



EasyLogic APF



EasyCom



Panel Server Gateway



EasyLogic Power Meter



PowerLogic P1

se.com

Life Is On


Schneider
Electric

Schneider Electric Offers

Products		
Panel Type	Description	More Information
MV Switchgear	Medium Voltage Switchgear	Link
MV/LV Transformer	Description	More Information
Minera	Oil-Immersed transformer, ground mounted, up to 3.15 MVA – 36 kV	Link
Circuit Breakers	Description	More Information
EasyPact MVS	Air Circuit Breaker 630 A to 4000 A	Link
EasyPact CVS	Molded Case Circuit Breaker 16 A to 630 A	Link
EasyPact EXE	Vacuum Circuit Breaker up to 17.5 kV	Link
Easy TeSys Power	Thermal-magnetic motor circuit breaker up to 15 kW	Link
UPS	Description	More Information
Easy UPS Single Phase	Uninterruptible Power Supply 1 Ph	Link
Easy UPS Three Phase (3S)	Uninterruptible Power Supply 3 Ph, 10-40 kVA	Link
Easy UPS Three Phase Modular	Uninterruptible Power Supply 3 Ph - Modular, 50-250 kW	Link
Overload Relay	Description	More Information
Easy TeSys Protect	Thermal overload relays from 0.1 to 630 A	Link
Contactors	Description	More Information
Easy TeSys Control	Contactors up to 630 A for AC3 and 1000 A for AC1 applications	Link
PFC / Capacitors	Description	More Information
EasyLogic PFC Capacitor Banks	Smart low voltage capacitor banks	Link
EasyLogic PFC Capacitor	LV Capacitors for power factor correction	Link
Final Distribution	Description	More Information
Easy9	MCB, RCD, Switches and Surge Protection Devices	Link
Wiring Devices	Light Switches and Electrical Sockets	Link
Surge Arrester	Description	More Information
Acti9 iPRD	Modular Surge Arrester Type 2 or 3, from 8 kA to 65 kA	Link
Harmonic Filter	Description	More Information
EasyLogic APF	Active Harmonic Filtering for commercial buildings, light industry etc.	Link
Communication Module	Description	More Information
EasyCom	Communication module for EasyPact MVS	Link
Power Meters & Gateways	Description	More Information
EasyLogic PM1000H	Digital Panel Meter, both LCD and LED displays available	Link
EasyLogic PM2000	Digital Panel Meter, both LCD and LED displays available	Link
EcoStruxure Panel Server	Serial to Ethernet, Cloud Connectivity, Data logger, Energy Server	Link
Protection Relay	Description	More Information
PowerLogic P1	Overcurrent, Earth Faults and Voltage Protection Relays	Link
Edge-Control and Cloud-based Software		
Software Systems	Description	More Information
EcoStruxure Power Monitoring Expert Express Edition	PME Express Edition is an on-premise solution for basic power monitoring and energy management that can be commissioned in hours. It is built to introduce an entry level of EcoStruxure Power to transactional channels and allows future expansion opportunities to take advantage of the full range of EcoStruxure Power applications and benefits.	Link
EcoStruxure Facility Expert	Facility Expert Energy is a web-application to monitor and analyze energy. The main energy features include energy consumption and costs monitoring (main, usage, zone, meter), alerts on energy consumption over target, multi-site comparison capability, energy site performance versus standards, power demand and power factor monitoring and monthly score cards	Link

Useful Tools and Documentation

As part of the full engineering package, accompanying this reference architecture guide are single line diagram (SLD) in both CAD and PDF formats and EcoStruxure Power Design project file in EAC format.



Electric Vehicle charging
New wiki chapter!
Trends, fundamentals, EV charging station design, integration into existing or new electrical installation, smart charging...
[Discover now!](#)


Latest Blog Post
Digital Tools Help Power Equipment Manufacturers (PEM) Move at Today's Speed of Business
Shannon Davis (2021-03-25)

The Electrical Installation Guide as a wiki!

This Electrical Installation Wiki is a collaborative platform, brought to you by Schneider Electric: our experts are continuously improving its content, collaboration is also open to all.

The Electrical Installation Guide (wiki) has been written for electrical professionals who must design safe and energy efficient electrical installation, in compliance with international standards such as the IEC 60364.

[Electrical Installation Guide](#)



Life Is On | **Schneider Electric**

Search products, documents & more

PRODUCTS **SOLUTIONS** **SERVICES** **SUPPORT** **ABOUT US**

EcoStruxure Power Design - Ecodial

Electrical supply design and calculation software

The software to calculate and size your electrical installation

[Download installation file](#) [Contact support](#)

Presentation Utilities and Firmware

Discover EcoStruxure Power Design – Ecodial

Design electrical distribution networks, optimize performance and specify components

EcoStruxure Power Design – Ecodial is a user-friendly software that helps you optimize equipment and costs while managing operating specifications, all along with the design of your power distribution projects. It is part of Schneider Electric's Customer Lifecycle Software suite, and therefore con-

[EcoStruxure Power Design](#)

Legal Information

These Schneider Electric Content are intended to assist skilled electrical professional designing electrical installation for use of Schneider Electric products. You understand and agree that you remain responsible for using your independent analysis, evaluation and judgment in designing your applications. You represent that, with respect to the applications you will design, you have all the necessary expertise to create and implement it. In that regard you have full and exclusive responsibility to (1) select the appropriate Schneider Electric products for your application, (2) design, validate and test your application, and (3) ensure your application meets applicable standards, regulations and laws and any other safety, security, or other requirements.

Notwithstanding anything to the contrary herein, by downloading, accessing or using any particular Schneider Electric Content in any way, you (individually or, if you are acting on behalf of a company, your company) agree to use it solely subject to the terms of the [Terms & Conditions](#).

Life Is On



Schneider Electric Industries SAS

35, rue Joseph Monier - CS 30323
92506 Rueil Malmaison Cedex

March 2024
ESXPORA014EN

©2024 Schneider Electric. All Rights Reserved. Life Is On Schneider Electric is a trademark and the property of Schneider Electric SE, its subsidiaries and affiliated companies. All other trademarks are the property of their respective owners.